

PAK recycling and disposal catalog

RECYCLED PAK
MEDIUM FLUORESCENT LAMP RECYCLING PAK

PAK #	DESCRIPTION	QUANTITY	RECYCLING CODE
1	1000	1000	1000
2	1000	1000	1000
3	1000	1000	1000
4	1000	1000	1000
5	1000	1000	1000
6	1000	1000	1000
7	1000	1000	1000
8	1000	1000	1000
9	1000	1000	1000
10	1000	1000	1000



Welcome



We have flexible options that can be adapted to meet your individual needs and requirements.

This catalog illustrates our latest advancements in delivering innovative recycling and disposal products designed to save you time and money while keeping you in compliance with today's changing regulations.

We take environmental compliance seriously and continually work to improve our processes to ensure you are getting the products and services you deserve.

We would like to thank you for choosing us.

Table of Contents

Lamp Recycling Containers

Supply-098 Small 4ft Fluorescent Lamp Recycling Box.....	5
Supply-043 Medium 4ft Fluorescent Lamp Recycling Box.....	5
Supply-065 Large 4ft Fluorescent Lamp Recycling Box.....	5
Supply-044 Medium 8ft Fluorescent Lamp Recycling Box.....	5
Supply-190 Large 8ft Fluorescent Lamp Recycling Box.....	6
Supply-068 5 Gal Mixed Lamps Recycling Pail.....	6
Supply-126 2ft Mixed Lamps Recycling Box.....	6
Supply-261 Cubic Yard Mixed Lamps Recycling Box.....	6
Supply-191 Large Utube, Hid Recycling Box.....	7
Supply-144 Bulk Lamp Recycling Kit.....	7
Supply-123 Consumer CFL Recycling Box.....	7
Supply-253 Small CFL Drop Box.....	8
Supply-192 Medium CFL Recycling Box.....	8
Supply-353 Small Projector Lamp Recycling Box.....	9
Supply-354 Large Projector Lamp Recycling Box.....	9
Supply-374 Extra Small LED Lamp Recycling Box.....	9
Supply-361 Small LED Lamp Recycling Box.....	9
Supply-362 Medium LED Lamp Recycling Box.....	10
Supply-360 4ft LED Lamp Recycling Box.....	10
Supply-373 4ft UV Lamp Recycling Box.....	10
Supply-345 8ft UV Lamp Recycling Box.....	10
Supply-401 Small 4ft Shielded Fluorescent Lamp Recycling Box.....	11
Supply-386 Medium 4ft Shielded Fluorescent Lamp Recycling Box.....	11
Supply-397 Large 4ft Shielded Fluorescent Lamp Recycling Box.....	11
Supply-388 Large 8ft Shielded Fluorescent Lamp Recycling Box.....	11

Ballast Recycling Containers

Supply-328 Small Non-PCB Ballast Recycling Box.....	12
Supply-040 5 Gal Lamp Ballast Recycling Pail.....	12
Supply-193 6.5 Gal Lamp Ballast Recycling Pail.....	12
Supply-263 Flexible 30 Gal Ballast Recycling Drum.....	12

Prepaid Recycling Stamps

Supply-276 Crushed Lamps Prepaid Recycling Stamp.....	13
Supply-277 4ft Linear Lamp Prepaid Recycling Stamp.....	13
Supply-278 8ft Linear Lamp Prepaid Recycling Stamp.....	13

Battery Recycling Containers

Supply-093 1/2 Gal Dry Cell Battery Recycling Pail.....	16
Supply-252 Small Battery Drop Box.....	16
Supply-069 1 Gal Dry Cell Battery Recycling Pail.....	16
Supply-041 3.5 Gal Dry Cell Battery Recycling Pail.....	17
Supply-150 2 Gal Sealed Lead Acid Battery Recycling Pail.....	17
Supply-336 3.5 Gal Tire Pressure Monitoring System Recycling Pail.....	17

Damaged, Defective or Recalled Lithium Batteries

Supply-363LI SM DDR Lithium Ion Battery Recycling Kit - (15) 2.5x3.....	19
Supply-364LI SM DDR Lithium Ion Battery Recycling Kit - (3) 4x8.....	19
Supply-365LI SM DDR Lithium Ion Battery Recycling Kit - (2) 6x8.....	19
Supply-366LI SM DDR Lithium Ion Battery Recycling Kit - (1) 8x10.....	19
Supply-367LI LG DDR Lithium Ion Battery Recycling Kit - (50) 2.5x3.....	20
Supply-368LI LG DDR Lithium Ion Battery Recycling Kit - (11) 4x8.....	20
Supply-369LI LG DDR Lithium Ion Battery Recycling Kit - (7) 6x8.....	20
Supply-370LI LG DDR Lithium Ion Battery Recycling Kit - (3) 8x10.....	20
Supply-371LI LG DDR Lithium Ion Battery Recycling Kit - (1) 12x15.....	21
Supply-363LM SM DDR Lithium Metal Battery Recycling Kit - (15) 2.5x3.....	21
Supply-364LM SM DDR Lithium Metal Battery Recycling Kit - (3) 4x8.....	21
Supply-365LM SM DDR Lithium Metal Battery Recycling Kit - (2) 6x8.....	21
Supply-366LM SM DDR Lithium Metal Battery Recycling Kit - (1) 8x10.....	22
Supply-367LM LG DDR Lithium Metal Battery Recycling Kit - (50) 2.5x3.....	22
Supply-368LM LG DDR Lithium Metal Battery Recycling Kit - (11) 4x8.....	22
Supply-369LM LG DDR Lithium Metal Battery Recycling Kit - (7) 6x8.....	22
Supply-370LM LG DDR Lithium Metal Battery Recycling Kit - (3) 8x10.....	23
Supply-371LM LG DDR Lithium Metal Battery Recycling Kit - (1) 12x15.....	23
Supply-382 Damaged Lithium Ion Battery 3 Mobile Phones or 1 Small Tablet Recycling Box.....	23
Supply-383 Damaged Lithium Ion Battery Laptop or Tablet Recycling Box.....	23
Supply-384 Damaged Lithium Ion Battery 10 Mobile Phones Recycling Box.....	24
Supply-385 Damaged Lithium Ion Battery 1 Mobile Phone or Small General Device Recycling Box.....	24

Mercury Recycling Containers

Supply-066 1 Gal Universal Waste Mercury Device Recycling Pail.....	29
Supply-049 5 Gal Universal Waste Mercury Device Recycling Pail.....	29

Electronics Recycling Containers

Supply-255 Small Cell Phone Drop Box.....	31
Supply-413 Extra Small Electronics Recycling Box.....	31
Supply-196 Small Electronics Recycling Box.....	31
Supply-197 Medium Electronics Recycling Box.....	31
Supply-061 Large Electronics Recycling Box.....	32
Supply-260 Cubic Yard Electronics Recycling Box.....	32
Supply-254 8 Small Inkjet Drop Box.....	32

Dental Waste Recycling Containers

Supply-062 2 Gal Dental Waste Recycling Kit.....	34
Supply-063 2 Gal Dental Fixer Recycling Kit.....	34
Supply-125 5 Gal Dental Waste Recycling Kit.....	34
Supply-338 5 Gal Dental Separator Filter Pail.....	35
Supply-153 Dental X-Ray Head Recycling Kit.....	35

Sharps Waste Containers

Supply-113 1 Quart Sharps Disposal System.....	37
Supply-115 5qty-1 Quart Sharps Disposal System.....	37
Supply-116 1 Gal Sharps Disposal System.....	37
Supply-117 2qty-1 Gal Sharps Disposal System.....	37
Supply-118 2 Gal Sharps Disposal System.....	38
Supply-119 2qty-2 Gal Sharps Disposal System.....	38
Supply-120 3 Gal Sharps Disposal System.....	38
Supply-122 5 Gal Medical Waste Disposal System.....	38
Supply-146 1 Gal Medical Waste Disposal System.....	39
Supply-166 Mailback Sharps Mounting Bracket With Lock.....	39

Tritium Exit Signs

Supply-334 Tritium Exit Sign Disposal Per Sign.....	40
---	----

Aerosol Cans

Supply-339 VSQG 6 Aerosol Can Recycling Box.....	42
Supply-340 VSQG 12 Aerosol Can Recycling Box.....	42
Supply-372 VSQG 24 Aerosol Can Recycling Box.....	42
Supply-325 VSQG 40 Aerosol Can Recycling Box.....	42

Smoke Detectors

Supply-359 Extra Small Smoke Detector Disposal Box.....	44
Supply-347 Small Smoke Detector Disposal Box.....	44
Supply-348 Medium Smoke Detector Disposal Box.....	44
Supply-349 Large Smoke Detector Disposal Box.....	44

Hazardous Materials Disposal

Supply-317 Medium Lead Apron Recycling Box.....	46
Supply-309 VSQG Cod Vial Recycling Pail.....	46
Supply-264 VSQG Non-DEA Pharmaceutical Waste Pail.....	46
Supply-375 5 Gal VSQG Cosmetic Products Waste Pail.....	46
Supply-376 Cactus® Sink Cartridge Prepaid Return Shipping & Disposal.....	47
Supply-377 Cactus® Sink Single Cartridge Disposal Box.....	47
Supply-378 Cactus® Sink Four Cartridge Disposal Box.....	47

Supplies and Containers

Supply-247 26 Oz Mercury Amalgamating Zinc Needles.....	50
Supply-280 4ft Lamp Recycling Box.....	50
Supply-281 8ft Lamp Recycling Box.....	50
Supply-282 Hid/U-Tube Lamp Recycling Box.....	50
Supply-224 2 Gal Battery Acid Spill Kit.....	51
Supply-225 2 Gal Mercury Spill Kit.....	51
Supply-245 16 Oz Mercury Vapor Suppressor.....	51
Supply-246 Mercury Sponge Jar (6 Qty).....	51
Supply-273 Non Dot Cubic Yard Box.....	52
Supply-262 Bulk Lamp Recycling Box.....	52
Supply-211 1/2 Gal UN Rated Poly Pail.....	52
Supply-212 1 Gal UN Rated Poly Pail.....	52
Supply-213 2 Gal UN Rated Poly Pail.....	53
Supply-142 5 Gal UN Rated Poly Pail.....	53
Supply-258 Flexible 30 Gal Waste Drum.....	53



Lamps and Ballast

Today's lighting systems are more energy efficient and environmentally friendly than ever before. Nevertheless, hazardous materials, such as mercury, may be contained in lighting waste. Environmental regulations require this waste be managed properly. Failure to follow regulations could result in costly environmental liability and adverse publicity.



SUPPLY-098

SMALL 4FT FLUORESCENT LAMP RECYCLING BOX

DIMENSIONS: 6"x6"x48"

CAPACITY: 16 T12 / 39 T8 4ft straight fluorescent lamps, misc. 4ft T5 straight lamps. DO NOT EXCEED the UN rated weight of 17 lbs.

INCLUDES: UN rated, DOT approved container, inner corrugated tube, 5.5 mil vapor barrier liner, liner tie, velcro closures, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Inner corrugated tube required to be inserted inside of the liner. Individually shrink-wrapped. Trilingual- English, Spanish and French.

RESTRICTIONS: LED Lamps, Shielded Fluorescent Lamps and CFLs NOT ALLOWED in this container.

UN RATING: 4G/Y7.9/S/XX* USA/+BR9506



SUPPLY-043

MEDIUM 4FT FLUORESCENT LAMP RECYCLING BOX

DIMENSIONS: 8.5"x8.5"x48"

CAPACITY: 30 T12 or 72 T8 4ft straight fluorescent lamps or 10 T12 or 20 T8 u-tube lamps, misc. 4ft T5 straight lamps. DO NOT EXCEED the UN rated weight of 34 lbs.

INCLUDES: UN rated, DOT approved container, inner corrugated tube, 5.5 mil vapor barrier liner, liner tie, velcro closures, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Inner corrugated tube required to be inserted inside of the liner. Individually shrink-wrapped. Trilingual- English, Spanish and French.

RESTRICTIONS: LED Lamps, Shielded Fluorescent Lamps and CFLs NOT ALLOWED in this container.

UN RATING: 4G/Y15.7/S/XX* USA/+BR9505



SUPPLY-065

LARGE 4FT FLUORESCENT LAMP RECYCLING BOX

DIMENSIONS: 12"x12"x48"

CAPACITY: 68 T12 / 146 T8 4ft straight fluorescent lamps, 22 T12 or 32 T8 u-tube lamps, misc. 4ft T5 straight lamps. DO NOT EXCEED the UN rated weight of 66 lbs.

INCLUDES: UN rated, DOT approved container, inner corrugated tube, 5.5 mil vapor barrier liner, liner tie, velcro closures, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Inner corrugated tube required to be inserted inside of the liner. Individually shrink-wrapped. Trilingual- English, Spanish and French.

RESTRICTIONS: LED Lamps, Shielded Fluorescent Lamps and CFLs NOT ALLOWED in this container. Lower 48 contiguous states only. Not for export.

UN RATING: 4G/Y30.2/S/XX* USA/+BR9503



SUPPLY-044

MEDIUM 8FT FLUORESCENT LAMP RECYCLING BOX

DIMENSIONS: 6"x6"x96"

CAPACITY: 16 T12 / 39 T8 8ft straight fluorescent lamps, misc. 8ft T5 straight lamps, or misc. 8ft straight LED lamps. DO NOT EXCEED the UN rated weight of 35 lbs.

INCLUDES: UN rated, DOT approved container, inner corrugated tube, 5.5 mil vapor barrier liner, liner tie, velcro closures, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Inner corrugated tube required to be inserted inside of the liner. Individually shrink-wrapped. Trilingual- English, Spanish and French.

RESTRICTIONS: Shielded Fluorescent Lamps and CFLs NOT ALLOWED in this container. Lower 48 contiguous states only. Not for export.

UN RATING: 4G/Y16.2/S/XX* USA/+BR9504



SUPPLY-190

LARGE 8FT FLUORESCENT LAMP RECYCLING BOX

DIMENSIONS: 8"x8"x96"

CAPACITY: 25 T12 / 57 T8 8ft straight fluorescent lamps, misc. 8ft T5 straight lamps, or misc. 8ft straight LED lamps. DO NOT EXCEED the UN rated weight of 61 lbs.

INCLUDES: UN rated, DOT approved container, inner corrugated tube, 5.5 mil vapor barrier liner, liner tie, velcro closures, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Inner corrugated tube required to be inserted inside of the liner. Individually shrink-wrapped. Trilingual- English, Spanish and French.

RESTRICTIONS: Shielded Fluorescent Lamps and CFLs NOT ALLOWED in this container. Lower 48 contiguous states only. Not for export.

UN RATING: 4G/Y27.9/S/XX* USA/+BR9528



SUPPLY-068

5 GAL MIXED LAMPS RECYCLING PAIL

DIMENSIONS: Top Dia: 11.45"; Bottom Dia: 10.15"; Height: 14.09"

CAPACITY: 55 lbs. or 45-90 small to medium CFLs or LEDs. DO NOT EXCEED the UN rated weight of 55 lbs.

INCLUDES: UN rated, DOT approved container with locking lid, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only.

UN RATING: 1H2/Y25/S/XX*



SUPPLY-126

2FT MIXED LAMPS RECYCLING BOX

DIMENSIONS: 16"x16"x25"

CAPACITY: 22 T12 or 32 T8 u-tube lamps, 250 CLFs, misc. HIDs, LEDs or circular lamps. DO NOT EXCEED the UN rated weight of 58 lbs.

INCLUDES: UN rated, DOT approved container, inner corrugated tube, 5.5 mil vapor barrier liner, liner tie, velcro closures, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Inner corrugated tube required to be inserted inside of the liner. Individually shrink-wrapped. Trilingual- English, Spanish and French.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: 4G/Y26.5/S/XX* USA/+BR9527



SUPPLY-261

CUBIC YARD MIXED LAMPS RECYCLING BOX

DIMENSIONS: 36"x36"x36"

CAPACITY: 2700 CFLs, mixed lamps or LEDs. DO NOT EXCEED 525 lbs.

INCLUDES: Recycling container, (2) corrugated stabilizing inserts, pallet base with pallet cups, 4 mil poly liner, liner tie, instructions, terms and conditions, universal waste label, proof of purchase, return shipping, recycling and online certificates of acceptance for recycling.

NOTES: Assembly required. Call toll-free 1-888-669-9725 to arrange a pickup. Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: NONE

LAMP RECYCLING



SUPPLY-191

LARGE UTUBE, HID RECYCLING BOX

DIMENSIONS: 22"x22"x24"

CAPACITY: 46 T12 or 81 T8 u-tube lamps, or up to 60 400W HID. DO NOT EXCEED UN rated weight of 54 lbs.

INCLUDES: UN rated, DOT approved container, inner corrugated tube, 5.5 mil vapor barrier liner, liner tie, velcro closures, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Inner corrugated tube required to be inserted inside of the liner. Packaged in corrugated sleeve. Trilingual- English, Spanish and French.

RESTRICTIONS: CFLs and LEDs NOT ALLOWED in this container. Lower 48 contiguous states only. Not for export.

UN RATING: 4G/Y24.8/S/XX* USA/+BR9502

LAMP RECYCLING



SUPPLY-144

BULK LAMP RECYCLING KIT

DIMENSIONS: 40"x48"x51"

CAPACITY: 800 T12 or 1600 T8 4ft straight lamps or 360 400w HIDs or 312 T12 or 480 T8 u-tubes.

INCLUDES: Recycling container, pallet base with pallet cups, (4) 4 mil poly liners, (4) liner ties, tape, instructions, terms and conditions, universal waste labels, proof of purchase, return shipping, recycling and online certificates of acceptance for recycling.

NOTES: Assembly required. Call toll-free 1-888-669-9725 to arrange a pickup. Bilingual- English and Spanish.

RESTRICTIONS: CFLs AND LEDs NOT ALLOWED in this container. Lower 48 contiguous states only. Not for export.

UN RATING: NONE

LAMP RECYCLING



SUPPLY-123

EXTRA SMALL CFL RECYCLING BOX

DIMENSIONS: 6"x6"x6"

CAPACITY: 6-8 medium CFLs or LEDs or 12 small CFLs.

INCLUDES: Recycling container, 4 mil poly liner, liner tie, tape, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Individually shrink-wrapped. Bilingual- English and Spanish.

RESTRICTIONS: Not for export.

UN RATING: NONE

LAMP RECYCLING



SUPPLY-253

SMALL CFL DROP BOX

DIMENSIONS: Outer Display Box: 13"x13"x9"; Inner Collection Box: 11"x11"x7"

CAPACITY: 35 small spiral CFLs.

INCLUDES: Corrugated display box with internal collection box, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Limited custom labeling available. Call for customized designs.

RESTRICTIONS: LEDs NOT ALLOWED in this container. Lower 48 contiguous states only. Not for export.

UN RATING: NONE

LAMP RECYCLING



SUPPLY-192

MEDIUM CFL RECYCLING BOX

DIMENSIONS: 15"x15"x15"

CAPACITY: 150 small spiral, 525 2-pin, 265 4-pin CFLs, or misc. incandescent, spots, LEDs or flood lamps. DO NOT EXCEED the UN rated weight of 37 lbs.

INCLUDES: UN rated, DOT approved container, inner corrugated tube, 5.5 mil vapor barrier liner, liner tie, velcro closures, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Inner corrugated tube required to be inserted inside of the liner. Individually shrink-wrapped. Trilingual- English, Spanish and French.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: 4G/Y17/S/XX* USA/+BR9499

LAMP RECYCLING



SUPPLY-353

SMALL PROJECTOR LAMP RECYCLING BOX

DIMENSIONS: 12.25"x9"x10.25"

CAPACITY: Holds projection lamps that are encased in their original plastic housing. DO NOT EXCEED 9 lbs.

INCLUDES: Recycling container, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Individually shrink-wrapped. Bilingual- English and Spanish.

RESTRICTIONS: DO NOT Place projection lamps that are not enclosed in their original plastic housing in this container. Not for export.

UN RATING: NONE

LAMP RECYCLING



SUPPLY-354

LARGE PROJECTOR LAMP RECYCLING BOX

DIMENSIONS: 18"x18"x18"

CAPACITY: Holds projection lamps that are encased in their original plastic housing. DO NOT EXCEED 55 lbs.

INCLUDES: Recycling container, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Individually shrink-wrapped. Bilingual- English and Spanish.

RESTRICTIONS: DO NOT Place projection lamps that are not enclosed in their original plastic housing in this container. Not for export.

UN RATING: NONE

LAMP RECYCLING



SUPPLY-374

EXTRA SMALL LED LAMP RECYCLING BOX

DIMENSIONS: 9"x6"x10"

CAPACITY: Holds 2-4 small LED lamps. DO NOT EXCEED 3 lbs.

INCLUDES: Corrugated container, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

RESTRICTIONS: Not for export.

UN RATING: NONE

LAMP RECYCLING



SUPPLY-361

SMALL LED LAMP RECYCLING BOX

DIMENSIONS: 8"x12"x6"

CAPACITY: Holds 64 6W, 69 8W or 45 12W small LED lamps. DO NOT EXCEED 20 lbs.

INCLUDES: Corrugated container, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: DOT limits on lithium content in battery and cell. All batteries must be taped to protect against short circuits. Must be placed into shipping box prior to return shipping. Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: NONE

LAMP RECYCLING



SUPPLY-362

MEDIUM LED LAMP RECYCLING BOX

DIMENSIONS: 18"x18"x12"

CAPACITY: Holds 191 6W, 207 8W or 135 12W small LED lamps. DO NOT EXCEED 50 lbs.

INCLUDES: Corrugated container, 5.5 mil vapor barrier liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: NONE

LAMP RECYCLING



SUPPLY-360

4FT LED LAMP RECYCLING BOX

DIMENSIONS: 6"x6"x48"

CAPACITY: Holds 39 T8, 62 T5, 78 T4 or 156 T2 4ft straight LED lamps. DO NOT EXCEED the UN rated weight of 17 lbs.

INCLUDES: Corrugated container, inner corrugated tube, 5.5 mil vapor barrier liner, liner tie, velcro closures, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Inner corrugated tube required to be inserted inside of the liner.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: 1H2/Y6/S/XX*

LAMP RECYCLING



SUPPLY-373

4FT UV LAMP RECYCLING BOX

DIMENSIONS: Outer: 9.5"x9.5"x51", Inner: 8.5"x8.5"x48"

CAPACITY: Holds 30 T12 or 60 T8 high mercury (germicidal) straight UV lamps 4 FT in length. DO NOT EXCEED 34 lbs.

INCLUDES: Outer corrugated box, inner corrugated box, (2) 5.5 mil vapor barrier liners, (2) liner ties, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: NONE

LAMP RECYCLING



SUPPLY-345

8FT UV LAMP RECYCLING BOX

DIMENSIONS: Outer: 9.25"x9.25"x98", Inner: 8"x8"x96

CAPACITY: Holds 25 T12 or 57 T8 high mercury (germicidal) straight UV lamps 8 FT in length. DO NOT EXCEED 55 lbs.

INCLUDES: Outer corrugated box, inner corrugated box, (2) 5.5 mil vapor barrier liners, (2) liner ties, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Thorium and uranium lamps cannot be placed into this container. Must be placed into shipping box prior to return shipping. Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: NONE

LAMP RECYCLING



SUPPLY-401

SMALL 4FT SHIELDED FLUORESCENT LAMP RECYCLING BOX

DIMENSIONS: 6"x6"x48"

CAPACITY: 16 T12 or 39 T8 4ft straight shielded fluorescent lamps or misc. 4ft T5 straight shielded lamps. DO NOT EXCEED UN rated weight of 17 lbs.

INCLUDES: UN rated, DOT approved container, inner corrugated tube, 5.5 mil vapor barrier liner, liner tie, velcro closures, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Inner corrugated tube required to be inserted inside of the liner.

RESTRICTIONS: CFLs NOT ALLOWED in this container. Lower 48 contiguous states only. Not for export.

UN RATING: 4G/Y7.9/S/XX* USA/+BR9506

LAMP RECYCLING



SUPPLY-386

MEDIUM 4FT SHIELDED FLUORESCENT LAMP RECYCLING BOX

DIMENSIONS: 8.5"x8.5"x48"

CAPACITY: 30 T12 or 72 T8 4ft straight shielded fluorescent lamps or misc. 4ft T5 straight shielded lamps. DO NOT EXCEED the UN rated weight of 34 lbs.

INCLUDES: UN rated, DOT approved container, inner corrugated tube, 5.5 mil vapor barrier liner, liner tie, velcro closures, instructions, terms and conditions, proof of purchase, prepaid return shipping label, recycling and online certificate of acceptance for recycling.

NOTES: Inner corrugated tube required to be inserted inside of the liner.

RESTRICTIONS: CFLs NOT ALLOWED in this container. Lower 48 contiguous states only. Not for export.

UN RATING: 4G/Y15.7/S/XX* USA/+BR9505

LAMP RECYCLING



SUPPLY-387

LARGE 4FT SHIELDED FLUORESCENT LAMP RECYCLING BOX

DIMENSIONS: 12"x12"x48"

CAPACITY: 68 T12 or 146 T8 4ft straight shielded fluorescent lamps or misc. 4ft T5 straight shielded lamps. DO NOT EXCEED the UN rated weight of 66 lbs.

INCLUDES: UN rated, DOT approved container, inner corrugated tube, 5.5 mil vapor barrier liner, liner tie, velcro closures, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Inner corrugated tube required to be inserted inside of the liner.

RESTRICTIONS: CFLs NOT ALLOWED in this container. Lower 48 contiguous states only. Not for export.

UN RATING: 4G/Y30.2/S/XX* USA/+BR9503

LAMP RECYCLING



SUPPLY-388

LARGE 8FT SHIELDED FLUORESCENT LAMP RECYCLING BOX

DIMENSIONS: 8"x8"x96"

CAPACITY: 25 T12 or 57 T8 8ft straight shielded fluorescent lamps or misc. 8ft T5 straight shielded lamps. DO NOT EXCEED the UN rated weight of 61 lbs.

INCLUDES: UN rated, DOT approved container, inner corrugated tube, 5.5 mil vapor barrier liner, liner tie, velcro closures, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Inner corrugated tube required to be inserted inside of the liner.

RESTRICTIONS: CFLs NOT ALLOWED in this container. Lower 48 contiguous states only. Not for export.

UN RATING: 4G/Y27.9/S/XX* USA/+BR9528



SUPPLY-328

SMALL NON-PCB BALLAST RECYCLING BOX

DIMENSIONS: 18"x12"x6"

CAPACITY: 20 lbs. of intact and non-leaking non-PCB ballast and electronic ballast.

INCLUDES: Recycling container, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: NONE



SUPPLY-040

5 GAL LAMP BALLAST RECYCLING PAIL

DIMENSIONS: Top Dia: 11.45"; Bottom Dia: 10.15"; Height: 14.09"

CAPACITY: 55 lbs. of intact and non-leaking TSCA-exempt PCB and non-PCB magnetic and electronic lamp ballast.

INCLUDES: UN rated, DOT approved 5 gal container with locking lid, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: 1H2/Y25/S/XX*



SUPPLY-193

6.5 GAL LAMP BALLAST RECYCLING PAIL

DIMENSIONS: Top Dia: 11.45"; Bottom Dia: 10"; Height: 18.3"

CAPACITY: 66 lbs. of intact and non-leaking TSCA-exempt PCB and non-PCB magnetic and electronic lamp ballast.

INCLUDES: UN rated, DOT approved 6.5 gal container with locking lid, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: 1H2/Y30/S/XX*



SUPPLY-263

FLEXIBLE 30 GAL BALLAST RECYCLING DRUM

DIMENSIONS: 17.5"x17.5"x27"

CAPACITY: 250 lbs. of intact and non-leaking TSCA-exempt PCB and non-PCB magnetic and electronic lamp ballast.

INCLUDES: UN rated, DOT approved flexible drum, 3 mil liner, liner tie, instructions, terms and conditions, proof of purchase, return shipping, recycling and online certificate of acceptance for recycling.

NOTES: Drum must be placed on a pallet prior to shipping. Pallet not included. Call 1-888-669-9725 to arrange a pickup. Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: 13H4/Y/08-2011/MEX/BAGCORP/0/116

LAMP RECYCLING

CLEPAK **CRUSHED LAMPS PREPAID RECYCLING STAMP**

USE OF THIS CONTAINER IS SUBJECT TO THE ENCLOSED TERMS AND CONDITIONS. Please call the number on the front of this container if you do not agree with these terms within 15 days for return instructions.

EL USO DE ESTE CONTENEDOR ESTÁ SUJETO A LOS TÉRMINOS Y CONDICIONES ADJUNTOS. Por favor llame al número indicado en la parte frontal de este contenedor si no está de acuerdo con estos términos en el plazo de 15 días para instrucciones de devolución.

THE ENCLOSED INSTRUCTIONS MUST BE FOLLOWED FOR SAFE PACKING, STORAGE AND SHIPMENT OF THIS CONTAINER. LAS INSTRUCCIONES ADJUNTAS DEBEN SEGUIRSE PARA EL EMBALAJE, ALMACENAMIENTO Y ENTREGA SEGUROS DE ESTE CONTENEDOR.

DESTINATION FACILITY | CENTRO DE DESTINO:
Veolia ES Technical Solutions, L.L.C.
1275 Mineral Springs Drive
Port Washington, WI 53074

WARNING | ADVERTENCIA
DO NOT COPY | NO COPIAR
VOID IF COPIED | NULO SI SE COPIA
ONE TIME USE ONLY | UNA VEZ SÓLO PARA USO
LIMIT ONE DRUM PER STAMP | LÍMITE DE UNA PLATAFORMA POR SELLO

TO REQUEST A PICKUP, PLEASE CALL:
PARA SOLICITAR UNA RECOGIDA, POR FAVOR LLAME A:

1-888-669-9725

UNIQUE CONTAINER NUMBER 205568J-4K1211L SUPPLY-276 CRUSHED LAMPS PREPAID RECYCLING STAMP

GENERATOR | GENERADOR:
ABC Electric
123 Main Street
Anytown, State, Zip

UNIQUE CONTAINER NUMBER 205568J-4K1211L

SUPPLY-276 CRUSHED LAMPS PREPAID RECYCLING STAMP

DO NOT WRITE IN THIS BOX. VEOLIA INTERNAL USE ONLY. NO ESCRIBA EN ESTA CAJA. VEOLIA SÓLO PARA USO INTERNO.

SUPPLY-276

CRUSHED LAMPS PREPAID RECYCLING STAMP

DIMENSIONS: 8.5"x11"

CAPACITY: 550 lbs. of crushed linear fluorescent lamps (contained in 55 gal steel drum).

INCLUDES: 8.5"x11" label with adhesive backing, instructions, terms and conditions, proof of purchase, generator certification form, return shipping, recycling and online certificates of acceptance for recycling.

NOTES: Packaging not included. Lamps must be contained in DOT approved 55 gal steel drum. Some state restrictions apply. Call 1-888-669-9725 to arrange a pickup. Bilingual- English and Spanish.

RESTRICTIONS: Not available in AK, CA, CT, HI, ME, MN, MO, NH, PA, PR, RI, VT, or WV. Not for export.

UN RATING: NONE

LAMP RECYCLING

CLEPAK **4FT LINEAR LAMP PREPAID RECYCLING STAMP**

USE OF THIS CONTAINER IS SUBJECT TO THE ENCLOSED TERMS AND CONDITIONS. Please call the number on the front of this container if you do not agree with these terms within 15 days for return instructions.

EL USO DE ESTE CONTENEDOR ESTÁ SUJETO A LOS TÉRMINOS Y CONDICIONES ADJUNTOS. Por favor llame al número indicado en la parte frontal de este contenedor si no está de acuerdo con estos términos en el plazo de 15 días para instrucciones de devolución.

THE ENCLOSED INSTRUCTIONS MUST BE FOLLOWED FOR SAFE PACKING, STORAGE AND SHIPMENT OF THIS CONTAINER. LAS INSTRUCCIONES ADJUNTAS DEBEN SEGUIRSE PARA EL EMBALAJE, ALMACENAMIENTO Y ENTREGA SEGUROS DE ESTE CONTENEDOR.

DESTINATION FACILITY | CENTRO DE DESTINO:
Veolia ES Technical Solutions, L.L.C.
1275 Mineral Springs Drive
Port Washington, WI 53074

WARNING | ADVERTENCIA
DO NOT COPY | NO COPIAR
VOID IF COPIED | NULO SI SE COPIA
ONE TIME USE ONLY | UNA VEZ SÓLO PARA USO
LIMIT ONE PALLET PER STAMP | LÍMITE DE UNA PLATAFORMA POR SELLO

TO REQUEST A PICKUP, PLEASE CALL:
PARA SOLICITAR UNA RECOGIDA, POR FAVOR LLAME A:

1-888-669-9725

UNIQUE CONTAINER NUMBER 205568J-4K1211L SUPPLY-277 4FT LINEAR PREPAID RECYCLING STAMP

GENERATOR | GENERADOR:
ABC Electric
123 Main Street
Anytown, State, Zip

UNIQUE CONTAINER NUMBER 205568J-4K1211L

SUPPLY-277 4FT LINEAR PREPAID RECYCLING STAMP

DO NOT WRITE IN THIS BOX. VEOLIA INTERNAL USE ONLY. NO ESCRIBA EN ESTA CAJA. VEOLIA SÓLO PARA USO INTERNO.

SUPPLY-277

4FT LINEAR LAMP PREPAID RECYCLING STAMP

DIMENSIONS: 8.5"x11"

CAPACITY: 900 T12 or 1800 T8 4ft linear fluorescent lamps.

INCLUDES: 8.5"x11" label with adhesive backing, instructions, terms and conditions, proof of purchase, universal waste label, return shipping, recycling and online certificates of acceptance for recycling.

NOTES: Packaging not included. Lamps must be packaged, stacked on a pallet and shrink-wrapped prior to shipping. Call 1-888-669-9725 to arrange a pickup. Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: NONE

LAMP RECYCLING

CLEPAK **8FT LINEAR LAMP PREPAID RECYCLING STAMP**

USE OF THIS CONTAINER IS SUBJECT TO THE ENCLOSED TERMS AND CONDITIONS. Please call the number on the front of this container if you do not agree with these terms within 15 days for return instructions.

EL USO DE ESTE CONTENEDOR ESTÁ SUJETO A LOS TÉRMINOS Y CONDICIONES ADJUNTOS. Por favor llame al número indicado en la parte frontal de este contenedor si no está de acuerdo con estos términos en el plazo de 15 días para instrucciones de devolución.

THE ENCLOSED INSTRUCTIONS MUST BE FOLLOWED FOR SAFE PACKING, STORAGE AND SHIPMENT OF THIS CONTAINER. LAS INSTRUCCIONES ADJUNTAS DEBEN SEGUIRSE PARA EL EMBALAJE, ALMACENAMIENTO Y ENTREGA SEGUROS DE ESTE CONTENEDOR.

DESTINATION FACILITY | CENTRO DE DESTINO:
Veolia ES Technical Solutions, L.L.C.
1275 Mineral Springs Drive
Port Washington, WI 53074

WARNING | ADVERTENCIA
DO NOT COPY | NO COPIAR
VOID IF COPIED | NULO SI SE COPIA
ONE TIME USE ONLY | UNA VEZ SÓLO PARA USO
LIMIT ONE PALLET PER STAMP | LÍMITE DE UNA PLATAFORMA POR SELLO

TO REQUEST A PICKUP, PLEASE CALL:
PARA SOLICITAR UNA RECOGIDA, POR FAVOR LLAME A:

1-888-669-9725

UNIQUE CONTAINER NUMBER 205568J-4K1211L SUPPLY-278 8FT LINEAR LAMP PREPAID RECYCLING STAMP

GENERATOR | GENERADOR:
ABC Electric
123 Main Street
Anytown, State, Zip

UNIQUE CONTAINER NUMBER 205568J-4K1211L

SUPPLY-278 8FT LINEAR LAMP PREPAID RECYCLING STAMP

DO NOT WRITE IN THIS BOX. VEOLIA INTERNAL USE ONLY. NO ESCRIBA EN ESTA CAJA. VEOLIA SÓLO PARA USO INTERNO.

SUPPLY-278

8FT LINEAR LAMP PREPAID RECYCLING STAMP

DIMENSIONS: 8.5"x11"

CAPACITY: 900 T12 or 1800 T8 8ft linear fluorescent lamps.

INCLUDES: 8.5"x11" label with adhesive backing, instructions, terms and conditions, proof of purchase, universal waste label, return shipping, recycling and online certificates of acceptance for recycling.

NOTES: Packaging not included. Lamps must be packaged, stacked on a pallet and shrink-wrapped prior to shipping. Call 1-888-669-9725 to arrange a pickup. Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: NONE

NOTES



Batteries

Every year, billions of used batteries that may contain corrosive materials such as potassium hydroxide (lye) or sulfuric acid; reactive metals such as lithium; or toxic metals such as mercury, lead, cadmium and nickel are thrown in the trash. Batteries can contaminate our environment if managed improperly.

Recycling batteries eliminates the risk of personal injury or loss of property and prevents pollution, thereby reducing the risk of future financial liability associated with improper disposal.

BATTERY
RECYCLING



SUPPLY-093

1/2 GAL DRY CELL BATTERY RECYCLING PAIL

DIMENSIONS: Top Dia: 6.15"; Bottom Dia: 5.49"; Height: 6.62"

CAPACITY: 15 lbs. of dry cell batteries, including AAA, AA, C, D, and 9 volt batteries containing alkaline, carbon-zinc, NICAD, NIMH, silver oxide, mercury, lithium metal, and lithium ion.

INCLUDES: UN rated, DOT approved 1/2 gal container with locking lid, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: DOT limits on lithium content in battery and cell. All batteries must be taped to protect against short circuits. Must be placed into shipping box prior to return shipping. Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: 1H2/Y4/S/XX*

BATTERY
RECYCLING



SUPPLY-252

SMALL BATTERY DROP BOX

DIMENSIONS: Outer Display Box: 13"x13"x9"; Inner Collection Box: 11"x11"x7"

CAPACITY: 45 lbs. dry cell batteries, including AAA, AA, C, D, and 9 volt batteries containing alkaline, carbon-zinc, NICAD, NIMH, silver oxide, mercury, lithium metal, and lithium ion.

INCLUDES: Corrugated display box with internal collection box, tape dispenser with refills, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: All batteries must be taped to protect against short circuits. Limited custom labeling available.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: NONE

BATTERY
RECYCLING



SUPPLY-069

1 GAL DRY CELL BATTERY RECYCLING PAIL

DIMENSIONS: Top Dia: 7.5"; Bottom Dia: 6.625"; Height: 6.9"

CAPACITY: 25 lbs. of dry cell batteries, including AAA, AA, C, D, and 9 volt batteries containing alkaline, carbon-zinc, NICAD, NIMH, silver oxide, mercury, lithium metal, and lithium ion.

INCLUDES: UN rated, DOT approved 1 gal container with locking lid, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: DOT limits on lithium content in battery and cell. All batteries must be taped to protect against short circuits. Must be placed into shipping box prior to return shipping. Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: 1H2/Y6/S/XX*

BATTERY
RECYCLING



SUPPLY-041

3.5 GAL DRY CELL BATTERY RECYCLING PAIL

DIMENSIONS: Top Dia: 11.45"; Bottom Dia: 10.24"; Height: 10.58"

CAPACITY: 50 lbs. of dry cell batteries, including AAA, AA, C, D, and 9 volt batteries containing alkaline, carbon-zinc, NICAD, NIMH, silver oxide, mercury, lithium metal, and lithium ion.

INCLUDES: UN rated, DOT approved 3.5 gal container with locking lid, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: DOT limits on lithium content in battery and cell. All batteries must be taped to protect against short circuits. Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: 1H2/Y19/S/XX*

BATTERY
RECYCLING



SUPPLY-150

2 GAL SEALED LEAD ACID BATTERY RECYCLING PAIL

DIMENSIONS: Top Dia: 10.48"; Bottom Dia: 9.125"; Height: 7.53"

CAPACITY: 35 lbs. of sealed (non-spillable) lead acid batteries.

INCLUDES: UN rated, DOT approved 2 gal container with locking lid, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Do not include any batteries other than sealed lead acid batteries which have been marked by the manufacturer as "non-spillable". Must be placed into shipping box prior to return shipping. Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: 1H2/Y12/S/XX*

BATTERY
RECYCLING



SUPPLY-336

3.5 GAL TIRE PRESSURE MONITORING SYSTEM RECYCLING PAIL

DIMENSIONS: Top Dia: 11.45"; Bottom Dia: 10.24"; Height: 10.58"

CAPACITY: Holds approximately 135-150 TPMS sensors or 15 lbs. of TPMS sensors.

INCLUDES: UN rated, DOT approved 3.5 gal container with locking lid, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Do not place loose batteries or broken TPMS Sensors into this kit. Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: 1H2/Y19/S/XX*



Damaged, Defective or Recalled Lithium Batteries

Batteries can become damaged several ways, including exposure to different elements, temperatures or even accidental impact. Lithium cells or batteries, that have been damaged or identified by the manufacturer as being defective for safety reasons, have the potential of producing a dangerous evolution of heat, fire, or short circuit.



SUPPLY-363LI

SM DDR LITHIUM ION BATTERY RECYCLING KIT - (15) 2.5X3 ANTI-STAT

DIMENSIONS: 5.5 L Metal Can

CAPACITY: Holds 1-15 damaged, defective or recalled lithium ion batteries with a maximum battery size of Width + Height less than or equal to 2" and with a Length less than or equal to 1.5". Maximum total weight of batteries not to exceed 2 kg (4.4 lbs.) for multiple batteries or 3 kg (6.6 lbs.) for a single battery. Total weight of metal can with contents not to exceed 4 kg (8.8 lbs.).

INCLUDES: UN rated, DOT approved 5.5 L metal container, Overpack return shipping box, (15) 2.5"x3" anti-static bags, anti-static liner, liner tie, vermiculite, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Guidance for ordering the RecyclePak Damaged Battery Kits document available on pages 25 and 26.

RESTRICTIONS: Transportation by highway only, forbidden on aircraft and vessel. Lower 48 contiguous states only. Not for export.



SUPPLY-364LI

SM DDR LITHIUM ION BATTERY RECYCLING KIT - (3) 4X8 ANTI-STAT

DIMENSIONS: 5.5 L Metal Can

CAPACITY: Holds 1-3 damaged, defective or recalled lithium ion batteries with a maximum battery size of Width + Height less than or equal to 3.5" and with a Length less than or equal to 6". Maximum total weight of batteries not to exceed 2 kg (4.4 lbs.) for multiple batteries or 3 kg (6.6 lbs.) for a single battery. Total weight of metal can with contents not to exceed 4 kg (8.8 lbs.).

INCLUDES: UN rated, DOT approved 5.5 L metal container, Overpack return shipping box, (3) 4"x8" anti-static bags, anti-static liner, liner tie, vermiculite, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Guidance for ordering the RecyclePak Damaged Battery Kits document available on pages 25 and 26.

RESTRICTIONS: Transportation by highway only, forbidden on aircraft and vessel. Lower 48 contiguous states only. Not for export.



SUPPLY-365LI

SM DDR LITHIUM ION BATTERY RECYCLING KIT - (2) 6X8 ANTI-STAT

DIMENSIONS: 5.5 L Metal Can

CAPACITY: Holds 1-2 damaged, defective or recalled lithium ion batteries with a maximum battery size of Width + Height less than or equal to 4.5" and with a Length less than or equal to 5.5". Maximum total weight of batteries not to exceed 2 kg (4.4 lbs.) for multiple batteries or 3 kg (6.6 lbs.) for a single battery. Total weight of metal can with contents not to exceed 4 kg (8.8 lbs.).

INCLUDES: UN rated, DOT approved 5.5 L metal container, Overpack return shipping box, (2) 6"x8" anti-static bags, anti-static liner, liner tie, vermiculite, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Guidance for ordering the RecyclePak Damaged Battery Kits document available on pages 25 and 26.

RESTRICTIONS: Transportation by highway only, forbidden on aircraft and vessel. Lower 48 contiguous states only. Not for export.



SUPPLY-366LI

SM DDR LITHIUM ION BATTERY RECYCLING KIT - (1) 8X10 ANTI-STAT

DIMENSIONS: 5.5 L Metal Can

CAPACITY: Holds 1 damaged, defective or recalled lithium ion battery with a maximum battery size of Width + Height less than or equal to 5" and with a Length less than or equal to 7". Maximum total weight of battery not to exceed 3 kg (6.6 lbs.) for a single battery. Total weight of metal can with contents not to exceed 4 kg (8.8 lbs.).

INCLUDES: UN rated, DOT approved 5.5 L metal container, Overpack return shipping box, (1) 8"x10" anti-static bag, anti-static liner, liner tie, vermiculite, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Guidance for ordering the RecyclePak Damaged Battery Kits document available on pages 25 and 26.

RESTRICTIONS: Transportation by highway only, forbidden on aircraft and vessel. Lower 48 contiguous states only. Not for export.

DAMAGED,
DEFECTIVE OR
RECALLED LITHIUM
BATTERIES



SUPPLY-367LI

LG DDR LITHIUM ION BATTERY RECYCLING KIT - (50) 2.5X3 ANTI-STAT

DIMENSIONS: 5 Gal Metal Drum

CAPACITY: Holds 1-50 damaged, defective or recalled lithium ion batteries with a maximum battery size of Width + Height less than or equal to 2" and with a Length less than or equal to 1.5". Maximum total weight of batteries not to exceed 2 kg (4.4 lbs.) for multiple batteries or 5 kg (11 lbs.) for a single battery. Total weight of metal drum with contents not to exceed 9.3 kg (20.5 lbs.)

INCLUDES: UN rated, DOT approved 5 gal metal drum, Overpack return shipping box, (50) 2.5"x3" anti-static bags, anti-static liner, liner tie, vermiculite, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Guidance for ordering the RecyclePak Damaged Battery Kits document available on pages 25 and 26.

RESTRICTIONS: Transportation by highway only, forbidden on aircraft and vessel. Lower 48 contiguous states only. Not for export.

DAMAGED,
DEFECTIVE OR
RECALLED LITHIUM
BATTERIES



SUPPLY-368LI

LG DDR LITHIUM ION BATTERY RECYCLING KIT - (11) 4X8 ANTI-STAT

DIMENSIONS: 5 Gal Metal Drum

CAPACITY: Holds 1-11 damaged, defective or recalled lithium ion batteries with a maximum battery size of Width + Height less than or equal to 3.5" and with a Length less than or equal to 6". Maximum total weight of batteries not to exceed 2 kg (4.4 lbs.) for multiple batteries or 5 kg (11 lbs.) for a single battery. Total weight of metal drum with contents not to exceed 9.3 kg (20.5 lbs.)

INCLUDES: UN rated, DOT approved 5 gal metal drum, Overpack return shipping box, (11) 4"x8" anti-static bags, anti-static liner, liner tie, vermiculite, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Guidance for ordering the RecyclePak Damaged Battery Kits document available on pages 25 and 26.

RESTRICTIONS: Transportation by highway only, forbidden on aircraft and vessel. Lower 48 contiguous states only. Not for export.

DAMAGED,
DEFECTIVE OR
RECALLED LITHIUM
BATTERIES



SUPPLY-369LI

LG DDR LITHIUM ION BATTERY RECYCLING KIT - (7) 6X8 ANTI-STAT

DIMENSIONS: 5 Gal Metal Drum

CAPACITY: Holds 1-7 damaged, defective or recalled lithium ion batteries with a maximum battery size of Width + Height less than or equal to 4.5" and with a Length less than or equal to 5.5". Maximum total weight of batteries not to exceed 2 kg (4.4 lbs.) for multiple batteries or 5 kg (11 lbs.) for a single battery. Total weight of metal drum with contents not to exceed 9.3 kg (20.5 lbs.)

INCLUDES: UN rated, DOT approved 5 gal metal drum, Overpack return shipping box, (7) 6"x8" anti-static bags, anti-static liner, liner tie, vermiculite, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Guidance for ordering the RecyclePak Damaged Battery Kits document available on pages 25 and 26.

RESTRICTIONS: Transportation by highway only, forbidden on aircraft and vessel. Lower 48 contiguous states only. Not for export.

DAMAGED,
DEFECTIVE OR
RECALLED LITHIUM
BATTERIES



SUPPLY-370LI

LG DDR LITHIUM ION BATTERY RECYCLING KIT - (3) 8X10 ANTI-STAT

DIMENSIONS: 5 Gal Metal Drum

CAPACITY: Holds 1-3 damaged, defective or recalled lithium ion batteries with a maximum battery size of Width + Height less than or equal to 5" and with a Length less than or equal to 7". Maximum total weight of batteries not to exceed 2 kg (4.4 lbs.) for multiple batteries or 5 kg (11 lbs.) for a single battery. Total weight of metal drum with contents not to exceed 9.3 kg (20.5 lbs.)

INCLUDES: UN rated, DOT approved 5 gal metal drum, Overpack return shipping box, (3) 8"x10" anti-static bags, anti-static liner, liner tie, vermiculite, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Guidance for ordering the RecyclePak Damaged Battery Kits document available on pages 25 and 26.

RESTRICTIONS: Transportation by highway only, forbidden on aircraft and vessel. Lower 48 contiguous states only. Not for export.

DAMAGED,
DEFECTIVE OR
RECALLED LITHIUM
BATTERIES



SUPPLY-371LI

LG DDR LITHIUM ION BATTERY RECYCLING KIT - (1) 12X15 ANTI-STAT

DIMENSIONS: 5 Gal Metal Drum

CAPACITY: Holds 1 damaged, defective or recalled lithium ion battery with a maximum battery size of Width + Height less than or equal to 11" and with a Length less than or equal to 9". Maximum total weight of battery not to exceed 5 kg (11 lbs.) for a single battery. Total weight of metal drum with contents not to exceed 9.3 kg (20.5 lbs.)

INCLUDES: UN rated, DOT approved 5 gal metal drum, Overpack return shipping box, (1) 12"x15" anti-static bag, anti-static liner, liner tie, vermiculite, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Guidance for ordering the RecyclePak Damaged Battery Kits document available on pages 25 and 26.

RESTRICTIONS: Transportation by highway only, forbidden on aircraft and vessel. Lower 48 contiguous states only. Not for export.

DAMAGED,
DEFECTIVE OR
RECALLED LITHIUM
BATTERIES



SUPPLY-363LM

SM DDR LITHIUM METAL BATTERY RECYCLING KIT - (15) 2.5X3 ANTI-STAT

DIMENSIONS: 5.5 L Metal Can

CAPACITY: Holds 1-15 damaged, defective or recalled lithium metal batteries with a maximum battery size of Width + Height less than or equal to 2" and with a Length less than or equal to 1.5". Maximum total weight of batteries not to exceed 2 kg (4.4 lbs.) for multiple batteries or 3 kg (6.6 lbs.) for a single battery. Total weight of metal can with contents not to exceed 4 kg (8.8 lbs.)

INCLUDES: UN rated, DOT approved 5.5 L metal can, Overpack return shipping box, (15) 2.5"x3" anti-static bags, anti-static liner, liner tie, vermiculite, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Guidance for ordering the RecyclePak Damaged Battery Kits document available on pages 25 and 26.

RESTRICTIONS: Transportation by highway only, forbidden on aircraft and vessel. Lower 48 contiguous states only. Not for export.

DAMAGED,
DEFECTIVE OR
RECALLED LITHIUM
BATTERIES



SUPPLY-364LM

SM DDR LITHIUM METAL BATTERY RECYCLING KIT - (3) 4X8 ANTI-STAT

DIMENSIONS: 5.5 L Metal Can

CAPACITY: Holds 1-3 damaged, defective or recalled lithium metal batteries with a maximum battery size of Width + Height less than or equal to 3.5" and with a Length less than or equal to 6". Maximum total weight of batteries not to exceed 2 kg (4.4 lbs.) for multiple batteries or 3 kg (6.6 lbs.) for a single battery. Total weight of metal can with contents not to exceed 4 kg (8.8 lbs.)

INCLUDES: UN rated, DOT approved 5.5 L metal container, Overpack return shipping box, (3) 4"x8" anti-static bags, anti-static liner, liner tie, vermiculite, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Guidance for ordering the RecyclePak Damaged Battery Kits document available on pages 25 and 26.

RESTRICTIONS: Transportation by highway only, forbidden on aircraft and vessel. Lower 48 contiguous states only. Not for export.

DAMAGED,
DEFECTIVE OR
RECALLED LITHIUM
BATTERIES



SUPPLY-365LM

SM DDR LITHIUM METAL BATTERY RECYCLING KIT - (2) 6X8 ANTI-STAT

DIMENSIONS: 5.5 L Metal Can

CAPACITY: Holds 1-2 damaged, defective or recalled lithium metal batteries with a maximum battery size of Width + Height less than or equal to 4.5" and with a Length less than or equal to 5.5". Maximum total weight of batteries not to exceed 2 kg (4.4 lbs.) for multiple batteries or 3 kg (6.6 lbs.) for a single battery. Total weight of metal can with contents not to exceed 4 kg (8.8 lbs.)

INCLUDES: UN rated, DOT approved 5.5 L metal container, Overpack return shipping box, (2) 6"x8" anti-static bags, anti-static liner, liner tie, vermiculite, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Guidance for ordering the RecyclePak Damaged Battery Kits document available on pages 25 and 26.

RESTRICTIONS: Transportation by highway only, forbidden on aircraft and vessel. Lower 48 contiguous states only. Not for export.

DAMAGED,
DEFECTIVE OR
RECALLED LITHIUM
BATTERIES



SUPPLY-366LM

SM DDR LITHIUM METAL BATTERY RECYCLING KIT - (1) 8X10 ANTI-STAT

DIMENSIONS: 5.5 L Metal Can

CAPACITY: Holds 1 damaged, defective or recalled lithium metal battery with a maximum battery size of Width + Height less than or equal to 5" and with a Length less than or equal to 7". Maximum total weight of battery not to exceed 3 kg (6.6 lbs.) for a single battery. Total weight of metal can with contents not to exceed 4 kg (8.8 lbs.)

INCLUDES: UN rated, DOT approved 5.5 L metal container, Overpack return shipping box, (1) 8"x10" anti-static bag, anti-static liner, liner tie, vermiculite, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Guidance for ordering the RecyclePak Damaged Battery Kits document available on pages 25 and 26.

RESTRICTIONS: Transportation by highway only, forbidden on aircraft and vessel. Lower 48 contiguous states only. Not for export.

DAMAGED,
DEFECTIVE OR
RECALLED LITHIUM
BATTERIES



SUPPLY-367LM

LG DDR LITHIUM METAL BATTERY RECYCLING KIT - (50) 2.5X3 ANTI-STAT

DIMENSIONS: 5 Gal Metal Drum

CAPACITY: Holds 1-50 damaged, defective or recalled lithium metal batteries with a maximum battery size of Width + Height less than or equal to 2" and with a Length less than or equal to 1.5". Maximum total weight of batteries not to exceed 2 kg (4.4 lbs.) for multiple batteries or 5 kg (11 lbs.) for a single battery. Total weight of metal drum with contents not to exceed 9.3 kg (20.5 lbs.)

INCLUDES: UN rated, DOT approved 5 gal metal drum, Overpack return shipping box, (50) 2.5"x3" anti-static bags, anti-static liner, liner tie, vermiculite, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Guidance for ordering the RecyclePak Damaged Battery Kits document available on pages 25 and 26.

RESTRICTIONS: Transportation by highway only, forbidden on aircraft and vessel. Lower 48 contiguous states only. Not for export.

DAMAGED,
DEFECTIVE OR
RECALLED LITHIUM
BATTERIES



SUPPLY-368LM

LG DDR LITHIUM METAL BATTERY RECYCLING KIT - (11) 4X8 ANTI-STAT

DIMENSIONS: 5 Gal Metal Drum

CAPACITY: Holds 1-11 damaged, defective or recalled lithium metal batteries with a maximum battery size of Width + Height less than or equal to 3.5" and with a Length less than or equal to 6". Maximum total weight of batteries not to exceed 2 kg (4.4 lbs.) for multiple batteries or 5 kg (11 lbs.) for a single battery. Total weight of metal drum with contents not to exceed 9.3 kg (20.5 lbs.)

INCLUDES: UN rated, DOT approved 5 gal metal drum, Overpack return shipping box, (11) 4"x8" anti-static bags, anti-static liner, liner tie, vermiculite, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Guidance for ordering the RecyclePak Damaged Battery Kits document available on pages 25 and 26.

RESTRICTIONS: Transportation by highway only, forbidden on aircraft and vessel. Lower 48 contiguous states only. Not for export.

DAMAGED,
DEFECTIVE OR
RECALLED LITHIUM
BATTERIES



SUPPLY-369LM

LG DDR LITHIUM METAL BATTERY RECYCLING KIT - (7) 6X8 ANTI-STAT

DIMENSIONS: 5 Gal Metal Drum

CAPACITY: Holds 1-7 damaged, defective or recalled lithium metal batteries with a maximum battery size of Width + Height less than or equal to 4.5" and with a Length less than or equal to 5.5". Maximum total weight of batteries not to exceed 2 kg (4.4 lbs.) for multiple batteries or 5 kg (11 lbs.) for a single battery. Total weight of metal drum with contents not to exceed 9.3 kg (20.5 lbs.)

INCLUDES: UN rated, DOT approved 5 gal metal drum, Overpack return shipping box, (7) 6"x8" anti-static bags, anti-static liner, liner tie, vermiculite, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Guidance for ordering the RecyclePak Damaged Battery Kits document available on pages 25 and 26.

RESTRICTIONS: Transportation by highway only, forbidden on aircraft and vessel. Lower 48 contiguous states only. Not for export.

DAMAGED,
DEFECTIVE OR
RECALLED LITHIUM
BATTERIES



SUPPLY-370LM

LG DDR LITHIUM METAL BATTERY RECYCLING KIT - (3) 8X10 ANTI-STAT

DIMENSIONS: 5 Gal Metal Drum

CAPACITY: Holds 1-3 damaged, defective or recalled lithium metal batteries with a maximum battery size of Width + Height less than or equal to 5" and with a Length less than or equal to 7". Maximum total weight of batteries not to exceed 2 kg (4.4 lbs.) for multiple batteries or 5 kg (11 lbs.) for a single battery. Total weight of metal drum with contents not to exceed 9.3 kg (20.5 lbs.)

INCLUDES: UN rated, DOT approved 5 gal metal drum, Overpack return shipping box, (3) 8"x10" anti-static bags, anti-static liner, liner tie, vermiculite, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling

NOTES: Guidance for ordering the RecyclePak Damaged Battery Kits document available on pages 25 and 26.

RESTRICTIONS: Transportation by highway only, forbidden on aircraft and vessel. Lower 48 contiguous states only. Not for export.

DAMAGED,
DEFECTIVE OR
RECALLED LITHIUM
BATTERIES



SUPPLY-371LM

LG DDR LITHIUM METAL BATTERY RECYCLING KIT - (1) 12X15 ANTI-STAT

DIMENSIONS: 5 Gal Metal Drum

CAPACITY: Holds 1 damaged, defective or recalled lithium metal battery with a maximum battery size of Width + Height less than or equal to 11" and with a Length less than or equal to 9". Maximum total weight of battery not to exceed 5 kg (11 lbs.) for a single battery. Total weight of metal drum with contents not to exceed 9.3 kg (20.5 lbs.)

INCLUDES: UN rated, DOT approved 5 gal metal drum, Overpack return shipping box, (1) 12"x15" anti-static bag, anti-static liner, liner tie, vermiculite, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Guidance for ordering the RecyclePak Damaged Battery Kits document available on pages 25 and 26.

RESTRICTIONS: Transportation by highway only, forbidden on aircraft and vessel. Lower 48 contiguous states only. Not for export.

DAMAGED,
DEFECTIVE OR
RECALLED LITHIUM
BATTERIES



SUPPLY-382

OBEXION MAX DAMAGED LITHIUM ION BATTERY 3 MOBILE PHONES OR 1 SMALL TABLET RECYCLING BOX

DIMENSIONS: 14.75"x9.25"x5.75"

CAPACITY: Holds 3 mobile phones with a maximum size of 7 1/8" x 3 5/8" OR maximum size tablet that is 11" x 6 5/8". This package is authorized for a maximum of 24 watt hours per cell phone or a 32.4 watt hour or less tablet. The maximum return weight is 13 lbs.

INCLUDES: Return shipping box, heat shield, reversible 3 mobile phones/tablet tray insert, (3) 4"x8" 4 mil anti-static reclosable poly bags, (1) 9"x12" 4 mil anti-static reclosable poly bag, (2) 4" packing tape strips, (1) UN3481 lithium ion battery contained in equipment warning label, instructions, terms and conditions, proof of purchase, generator certification form, return shipping, recycling and online certificate of acceptance for recycling.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

DAMAGED,
DEFECTIVE OR
RECALLED LITHIUM
BATTERIES



SUPPLY-383

OBEXION MAX DAMAGED LITHIUM ION BATTERY LAPTOP OR TABLET RECYCLING BOX

DIMENSIONS: 21.75"x14.75"x4"

CAPACITY: 1 laptop OR tablet with a maximum size of 16 1/4" x 12". This package is authorized for a maximum of 99.5 watt hours total. The maximum return weight is 15 lbs.

INCLUDES: Return shipping box, heat shield, laptop/tablet tray insert, (1) 18"x24" 4 mil anti-static reclosable poly bag, (2) 4" packing tape strips, (1) UN3481 lithium ion battery contained in equipment warning label, instructions, terms and conditions, proof of purchase, generator certification form, return shipping, recycling and online certificate of acceptance for recycling.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

DAMAGED,
DEFECTIVE OR
RECALLED LITHIUM
BATTERIES



SUPPLY-384

OBEXION MAX DAMAGED LITHIUM ION BATTERY 10 MOBILE PHONES RECYCLING BOX


DIMENSIONS: 21.75"x14.75"x4"

CAPACITY: Holds 10 mobile phones with a maximum phone size of 6 1/4" x 3 1/16". This package is authorized for a maximum of 41.58 watt hours per mobile phone. The maximum return weight is 15 lbs.

INCLUDES: Return shipping box, heat shield, 10 mobile phone tray insert, (10) 4"x8" 4 mil anti-static reclosable poly bags, (2) 4" packing tape strips, (1) UN3481 lithium ion battery contained in equipment warning label, instructions, terms and conditions, proof of purchase, generator certification form, return shipping, recycling and online certificate of acceptance for recycling.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

DAMAGED,
DEFECTIVE OR
RECALLED LITHIUM
BATTERIES



SUPPLY-385

OBEXION MAX DAMAGED LITHIUM ION BATTERY 1 MOBILE PHONE OR SMALL GENERAL DEVICE RECYCLING BOX

DIMENSIONS: 9.75"x7"x2.75"

CAPACITY: Holds a maximum size mobile phone or general device that is 7" x 3.5" x 1". This package is authorized for a maximum of 41.58 watt hours. The maximum return weight is 2.2 lbs.

INCLUDES: Return shipping box, inner corrugated sleeve, mobile phone or general device pouch, (1) 4" packing tape strip, (1) UN3481 lithium ion battery contained in equipment warning label, instructions, terms and conditions, proof of purchase, generator certification form, return shipping, recycling and online certificate of acceptance for recycling.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.


Guidance for Ordering the RecyclePak Damaged, Defective or Recalled Lithium Ion or Lithium Metal Battery Recycling Kits

(Applies to Supply 363LI/LM, 364LI/LM, 365LI/LM, 366LI/LM, 367LI/LM, 368LI/LM, 369LI/LM, 370LI/LM, 371LI/LM)

Please follow the guidance in the chart below and on the following page as to the types, sizes, quantities, maximum weight, lithium content and Watt-hours of batteries allowed in the different RecyclePak® kits. **Lithium Ion (UN3480) and Lithium Metal (UN3090) batteries CANNOT be comingled in the same kit.**

TABLE 1 – PACKAGING LIMITS

To calculate the maximum battery size, compare the combined width and height as well as the length, as shown below, of the battery to the dimensions listed in Table 1 below



Small Kit – 5.5 L Metal Can

Maximum Battery Size		Maximum total weight of batteries? DO NOT EXCEED GROSS BATTERY WEIGHT LISTED	Number of batteries to recycle?	Are your batteries lithium ion or lithium metal?	RecyclePak Kit that will best suit your needs:
W+H	L				
2"	1.5"	Multiple Batteries: 2 kg (4.4 lbs.) Single Battery: 3 kg (6.6 lbs.)	1-15 (2.5"x3" bags in kit)	Ion (UN3480)	Supply-363LI
				Metal (UN3090)	Supply-363LM
3.5"	6"		1-3 (4"x8" bags in kit)	Ion (UN3480)	Supply-364LI
				Metal (UN3090)	Supply-364LM
4.5"	5.5"	Single Battery: 3 kg (6.6 lbs.)	1-2 (6"x8" bags in kit)	Ion (UN3480)	Supply-365LI
				Metal (UN3090)	Supply-365LM
5"	7"	Single Battery: 3 kg (6.6 lbs.)	1 (8"x10" bag in kit)	Ion (UN3480)	Supply-366LI
				Metal (UN3090)	Supply-366LM

Large Kit – 5 Gal Metal Drum

Maximum Battery Size		Maximum total weight of batteries? DO NOT EXCEED GROSS BATTERY WEIGHT LISTED	Number of batteries to recycle?	Are your batteries lithium ion or lithium metal?	RecyclePak Kit that will best suit your needs:
W+H	L				
2"	1.5"	Multiple Batteries: 2 kg (4.4 lbs.) Single Battery: 5 kg (11 lbs.)	1-50 (2.5"x3" bags in kit)	Ion (UN3480)	Supply-367LI
				Metal (UN3090)	Supply-367LM
3.5"	6"		1-11 (4"x8" bags in kit)	Ion (UN3480)	Supply-368LI
				Metal (UN3090)	Supply-368LM
4.5"	5.5"		1-7 (6"x8" bags in kit)	Ion (UN3480)	Supply-369LI
				Metal (UN3090)	Supply-369LM
5"	7"	Single Battery: 5 kg (11 lbs.)	1-3 (8"x10" bags in kit)	Ion (UN3480)	Supply-370LI
				Metal (UN3090)	Supply-370LM
11"	9"	Single Battery: 5 kg (11 lbs.)	1 (12"x15" bag in kit)	Ion (UN3480)	Supply-371LI
				Metal (UN3090)	Supply-371LM

IMPORTANT NOTES:

- Lithium Ion and Lithium Metal batteries CANNOT be commingled. A separate kit must be purchased for each type of battery.
- Each battery needs to be contained in its own anti-static bag. Anti-static bags are provided with the kits in the sizes identified in Table 1 above. The number of bags provided equals the maximum number of batteries allowed in the kit.
- Different sizes of batteries of the same type can be placed into a kit. Be sure to order a kit containing;
 1. the appropriate number of anti-static bags to contain all of the batteries you wish to recycle
 2. anti-static bags large enough to fit the largest size of battery you wish to recycle.
- The total gross weight of the inside 5.5 L metal can for Supply-363, 364, 365, 366 (LI or LM) not to exceed 4 kg (8.8 lbs).
- The total gross weight of the inside 5 Gal metal drum for Supply-367, 368, 369, 370, 371 (LI or LM) not to exceed 9.3 kg (20.5 lbs).
- Lithium content restricted to 5 grams per cell and 25 grams per battery for Lithium Metal, as obtained from the Safety Data Sheet (SDS). (See information on the back page of this document explaining how to calculate lithium content.)
- Lithium ion cells are restricted to 60 Wh and lithium ion batteries to 300 Wh, as obtained from the Safety Data Sheet (SDS). (See information below explaining how to calculate lithium content.)

NOTE ON LITHIUM BATTERIES: The following guidance should be followed when managing spent lithium batteries in RecyclePak®.

1. For purposes of this guidance, we use the term “lithium metal battery” to refer to a non-rechargeable battery and the term “lithium ion battery” to refer to a rechargeable battery.
2. A cell is a single electro-chemical unit; a battery consists of one or more connected cells.
 - a. The size of a lithium metal cell or battery is determined by its lithium content as summarized in Table 2 below.
 - b. The size of a lithium ion cell or battery is determined by the Watt-hour (Wh) rating of the cell(s) or battery as summarized in Table 2 below.
3. Only those cells and batteries designated as “Authorized for RecyclePak®” in Table 2 below, may be shipped using this packaging. Cells and batteries designated as “Not Authorized for RecyclePak®” in Table 2 below, may not be shipped using this packaging.

TABLE 2- SMALL BATTERY AND CELL DEFINITIONS

Small Lithium cells and batteries are defined in 49 CFR 173.185(C).		
Cells	Authorized for RecyclePak®	Not Authorized for RecyclePak®
Lithium metal	5 g Li.	> 5 g Li.
Lithium ion	60 Wh	> 60 Wh
Batteries	Authorized for RecyclePak®	Not Authorized for RecyclePak®
Lithium metal	25 g Li	> 25 g Li.
Lithium ion	300 Wh	> 300 Wh

4. Generators of Lithium batteries are responsible for proper identification of their spent lithium metal and lithium ion batteries.
 - a. Lithium metal batteries are classified by the quantity of lithium contained in the cell(s) or battery. Battery manufacturers may be able to provide guidance as to the amount of lithium contained in the cell(s) or battery.
 - b. Lithium ion batteries are classified by the Wh rating of the cell(s) or battery. Most lithium ion batteries will be marked with the Wh rating. If your battery is not marked with a Wh rating, Wh can be calculated using the following formula: Wh = Volts(V) xAmpere Hour (Ah). When working with this formula, One (1) Ah is equal to 1000 milliampere hours (mAh). (Wh=V*(mAh/1000))
5. Questions should be directed to 1-888-669-9725.

NOTES



Mercury Waste

Mercury has traditionally been used in medical apparatus, electrical devices, precision instruments and in conjunction with other elements to form compounds for industrial applications. Despite its widespread use, mercury is a highly toxic material that needs to be disposed of properly once it is removed from use.

MERCURY RECYCLING
CONTAINERS



SUPPLY-066

1 GAL UNIVERSAL WASTE MERCURY CONTAINING EQUIPMENT RECYCLING PAIL

DIMENSIONS: Top Dia: 7.50"; Bottom Dia: 6.625"; Height: 6.9"

CAPACITY: 13 lbs. of intact mercury containing equipment, including but not limited to thermostats, thermometers, blood pressure gauges, relays and switches.

INCLUDES: UN rated, DOT approved 1 gal container with locking lid, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Maximum 1 lb. elemental mercury in intact equipment inside container. Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: 1H2/Y6/S/XX*

MERCURY RECYCLING
CONTAINERS



SUPPLY-049

5 GAL UNIVERSAL WASTE MERCURY CONTAINING EQUIPMENT RECYCLING PAIL

DIMENSIONS: Top Dia: 11.45"; Bottom Dia: 10.15"; Height: 14.09"

CAPACITY: 55 lbs. of intact mercury containing equipment, including but not limited to thermostats, thermometers, blood pressure gauges, relays and switches.

INCLUDES: UN rated, DOT approved 5 gal container with locking lid, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Maximum 1 lb. elemental mercury in intact equipment inside container. Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: 1H2/Y25/S/XX*



Electronics

Electronic waste is one of the fastest growing waste streams globally. This has been spurred by increasing technological advances that drive the development of new products and the replacement of outdated equipment. The outdated equipment may contain toxic or hazardous materials, such as cadmium, lead, or mercury which can contaminate the environment if disposed of improperly.

ELECTRONICS
RECYCLING



SUPPLY-255

SMALL CELL PHONE DROP BOX

DIMENSIONS: Outer Display Box: 13"x13"x9"; Inner Collection Box: 11"x11"x7"

CAPACITY: 110 cell phones.

INCLUDES: Corrugated display box with internal collection box, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Limited custom labeling available. Call for customized designs.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: NONE

ELECTRONICS
RECYCLING



SUPPLY-413

EXTRA SMALL ELECTRONICS RECYCLING BOX

DIMENSIONS: 9"x6"x10.25"

CAPACITY: 10 lbs. of unsorted home electronics, office electronics, toner cartridges, cell phones, and personal electronics

INCLUDES: Recycling container, 4 mil liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: NONE

ELECTRONICS
RECYCLING



SUPPLY-196

SMALL ELECTRONICS RECYCLING BOX

DIMENSIONS: 18"x12"x6"

CAPACITY: 20 lbs. of unsorted computers, peripherals, monitors, TVs, home electronics, office electronics, printers, toner cartridges, cell phones, and personal electronics.

INCLUDES: Recycling container, 4 mil liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Individually shrink-wrapped. Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: NONE

ELECTRONICS
RECYCLING



SUPPLY-197

MEDIUM ELECTRONICS RECYCLING BOX

DIMENSIONS: 18"x18"x12"

CAPACITY: 50 lbs. of unsorted computers, peripherals, monitors, TVs, home electronics, office electronics, printers, toner cartridges, cell phones, and personal electronics.

INCLUDES: Recycling container, 5.5 mil vapor barrier liner, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Individually shrink-wrapped. Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: NONE

ELECTRONICS
RECYCLING



SUPPLY-061

LARGE ELECTRONICS RECYCLING BOX

DIMENSIONS: 22"x22"x22"

CAPACITY: 70 lbs. of unsorted computers, peripherals, monitors, TVs, home electronics, office electronics, printers, toner cartridges, cell phones, and personal electronics.

INCLUDES: Recycling container, 5.5 mil vapor barrier liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Packaged in corrugated sleeve. Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: NONE

ELECTRONICS
RECYCLING



SUPPLY-260

CUBIC YARD ELECTRONICS RECYCLING BOX

DIMENSIONS: 36"x36"x36"

CAPACITY: Recycling container, (2) corrugated stabilizing inserts, pallet base with pallet cups, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, return shipping, recycling and online certificates of acceptance for recycling.

INCLUDES: Corrugated display box with internal collection box, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Assembly required. Call toll-free 1-888-669-9725 to arrange a pickup. Bilingual- English and Spanish.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: NONE

ELECTRONICS
RECYCLING



SUPPLY-254

SMALL INKJET DROP BOX

DIMENSIONS: Outer Display Box: 13"x13"x9"; Inner Collection Box: 11"x11"x7"


CAPACITY: 30-45 inkjet cartridges or roughly 10 lbs.

INCLUDES: Corrugated display box with internal collection box, 4 mil poly liner, liner tie, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Limited custom labeling available. Call for customized designs.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: NONE



Dental Waste

Most dental offices generate small quantities of hazardous, universal and solid waste in their day-to-day practices. Waste such as mercury, silver, lead, x-ray developer, medical waste, disinfectant chemicals, as well as general office waste needs to be managed correctly to protect health and the environment.

DENTAL WASTE
RECYCLING



SUPPLY-062

2 GAL DENTAL WASTE RECYCLING KIT

DIMENSIONS: 2 Gal-Top Dia: 10.48"; Bottom Dia: 9.125"; Height: 7.53"; 1/2 Gal - Top Dia: 6.15"; Bottom Dia: 5.49"; Height: 6.62"

CAPACITY: 2 lbs. of dental amalgam and 24 lbs. of other dental waste including separator filters, traps and lead foil. Wet amalgam waste must be placed inside the 1/2 gal inner pail.

INCLUDES: UN rated, DOT approved 2 gal & 1/2 gal containers with locking lids, instructions, terms and conditions, proof of purchase, generator certification form, return shipping box, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Maximum 1 lb. elemental mercury inside container. Shipping box required for return shipping. Bilingual- English and Spanish.

RESTRICTIONS: Not available in AK, HI, PR, VI, AR, or RI. Not for export.

UN RATING: 2 GAL - 1H2/Y12/S/XX* 1/2 GAL PAIL - 1H2/Y4/S/XX*

DENTAL WASTE
RECYCLING



SUPPLY-063

2 GAL DENTAL FIXER RECYCLING KIT

DIMENSIONS: Top Dia: 10.48"; Bottom Dia: 9.125"; Height: 7.53"

CAPACITY: 1 gal of dental fixer solution.

INCLUDES: UN rated, DOT approved 2 gal container with locking lid and 1 gal container to hold solution, instructions, terms and conditions, proof of purchase, generator certification form, return shipping box, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Maximum 1 lb. elemental mercury inside container. A Safety Data Sheet (SDS) for the fixer solution is required to be sent prior to shipping. Fixer solutions must be contained within a leak-proof container prior to being placed into the 2 gal pail. Shipping box required for return shipping. Bilingual- English and Spanish.

RESTRICTIONS: Not available in AK, HI, PR, VI, AR, or RI. Not for export.

UN RATING: 1H2/Y12/S/XX*

DENTAL WASTE
RECYCLING



SUPPLY-125

5 GAL DENTAL WASTE RECYCLING KIT

DIMENSIONS: 5 Gal-Top Dia: 11.45"; Bottom Dia: 10.15"; Height: 14.09"; 1/2 Gal-Top Dia: 6.15"; Bottom Dia: 5.49"; Height: 6.62"

CAPACITY: 2 lbs. of dental amalgam and 53 lbs. of other dental waste including separator filters, traps and lead foil. Wet amalgam waste must be placed inside the 1/2 gal inner pail.

INCLUDES: UN rated, DOT approved 5 gal & 1/2 gal containers with locking lids, instructions, terms and conditions, proof of purchase, generator certification form, return shipping box, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Maximum 1 lb. elemental mercury inside container. Bilingual- English and Spanish.

RESTRICTIONS: Not available in AK, HI, PR, VI, AR, or RI. Not for export.

UN RATING: 1H2/Y25/S/XX* 1/2 GAL PAIL - 1H2/Y4/S/XX*

DENTAL WASTE
RECYCLING



SUPPLY-338

5 GAL DENTAL SEPARATOR FILTER PAIL

DIMENSIONS: Top Diameter: 11.45", Bottom Diameter: 10.15", Height: 14.09"

CAPACITY: 19 lbs. of vacuum pump filters, chair side trap waste and amalgam separators.

INCLUDES: UN rated, DOT approved 5 gal container with locking lid, 4 mil poly liner, instructions, terms and conditions, proof of purchase, generator certification form, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

NOTES: Maximum 1 lb. elemental mercury inside container. Bilingual-English and Spanish.

RESTRICTIONS: Not available in AK, HI, PR, VI, AR, or RI. Not for export.

UN RATING: 3H2/Y40/S/XX*

DENTAL WASTE
RECYCLING



SUPPLY-153

DENTAL X-RAY HEAD RECYCLING KIT

DIMENSIONS: 24"x12"x12"


CAPACITY: One dental x-ray head with a maximum size of 24"x12"x12" and weighing no more than 50 lbs.

INCLUDES: Recycling container, 5.5 mil vapor barrier liner, liner tie, instructions, terms and conditions, proof of purchase, generator certification form, prepaid return shipping with label, recycling and online certificates of acceptance for recycling.

NOTES: This kit is for dental x-ray head units manufactured after 1982.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: NONE



Sharps Waste

Properly managing regulated medical waste, also known as biohazardous, biomedical or infectious waste, that is generated by healthcare facilities and commercial businesses is important to avoid regulatory fines and prevent the spread of infectious diseases.

MEDICAL WASTE
DISPOSAL



SUPPLY-113

1 QUART SHARPS DISPOSAL SYSTEM

DIMENSIONS: 3.75"x3.5"x8"

CAPACITY: Container holds up to 42 3cc syringes.

INCLUDES: HDPE container, liner, liner tie, instructions, tape, return shipping box, manifest paperwork, return shipping, disposal and certificate of destruction.

NOTES: Must be shipped via United States Postal Service using return shipping box provided. Additional charges apply for replacement return shipping boxes. Maximum allowable return weight - 3 lbs.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: UN3291

MEDICAL WASTE
DISPOSAL



SUPPLY-115

5QTY-1 QUART SHARPS DISPOSAL SYSTEM

DIMENSIONS: (5) 3.75"x3.5"x8"

CAPACITY: Each container holds up to 42 3cc syringes.

INCLUDES: HDPE container, liner, liner tie, instructions, tape, return shipping box, manifest paperwork, return shipping, disposal and certificate of destruction.

NOTES: All (5) items must be shipped in the same return shipping box via United States Postal Service using return shipping box provided. Additional charges apply for replacement return shipping boxes. Maximum allowable return weight - 10 lbs.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: UN3291

MEDICAL WASTE
DISPOSAL



SUPPLY-116

1 GAL SHARPS DISPOSAL SYSTEM

DIMENSIONS: 9"x5.5"x8.5"

CAPACITY: Container holds up to 98 3cc syringes.

INCLUDES: HDPE container, liner, liner tie, instructions, tape, return shipping box, manifest paperwork, return shipping, disposal and certificate of destruction.

NOTES: Must be shipped via United States Postal Service using return shipping box provided. Additional charges apply for replacement return shipping boxes. Maximum allowable return weight - 6 lbs.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: UN3291

MEDICAL WASTE
DISPOSAL



SUPPLY-117

2QTY-1 GAL SHARPS DISPOSAL SYSTEM

DIMENSIONS: (2) 9"x5.5"x8.5"

CAPACITY: Each container holds up to 98 3cc syringes.

INCLUDES: HDPE container, liner, liner tie, instructions, tape, return shipping box, manifest paperwork, return shipping, disposal and certificate of destruction.

NOTES: All (2) items must be shipped in the same return shipping box via United States Postal Service using return shipping box provided. Additional charges apply for replacement return shipping boxes. Maximum allowable return weight - 10 lbs.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: UN3291



SUPPLY-118

2 GAL SHARPS DISPOSAL SYSTEM

DIMENSIONS: 9"x5.5"x14.25"

CAPACITY: Container holds up to 245 3cc syringes.

INCLUDES: HDPE container, liner, liner tie, instructions, tape, return shipping box, manifest paperwork, return shipping, disposal and certificate of destruction.

NOTES: Must be shipped via United States Postal Service using return shipping box provided. Additional charges apply for replacement return shipping boxes. Maximum allowable return weight - 10 lbs.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: UN3291

SUPPLY-119

2QTY-2 GAL SHARPS DISPOSAL SYSTEM

DIMENSIONS: (2) 9"x5.5"x14.25"

CAPACITY: Each container holds up to 245 3cc syringes.

INCLUDES: HDPE container, liner, liner tie, instructions, tape, return shipping box, manifest paperwork, return shipping, disposal and certificate of destruction.

NOTES: All (2) items must be shipped in the same return shipping box via United States Postal Service using return shipping box provided. Additional charges apply for replacement return shipping boxes. Maximum allowable return weight - 18 lbs.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: UN3291



SUPPLY-120

3 GAL SHARPS DISPOSAL SYSTEM

DIMENSIONS: 9"x5.5"x19.75"

CAPACITY: Container holds up to 358 3cc syringes.

INCLUDES: HDPE container, liner, liner tie, instructions, tape, return shipping box, manifest paperwork, return shipping, disposal and certificate of destruction.

NOTES: Must be shipped via United States Postal Service using return shipping box provided. Additional charges apply for replacement return shipping boxes. Maximum allowable return weight - 13 lbs.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: UN3291

SUPPLY-122

5 GAL MEDICAL WASTE DISPOSAL SYSTEM

DIMENSIONS: Top Dia: 14.00"; Height: 14.51"

CAPACITY: 25 lbs. of regulated medical waste.

INCLUDES: HDPE container, liner, liner tie, instructions, tape, return shipping box, manifest paperwork, return shipping, disposal and certificate of destruction.

NOTES: Intended for non-liquid regulated medical waste only. Sharps must be in puncture resistant container before being placed into container. Must be shipped via United States Postal Service using return shipping box provided. Additional charges apply for replacement return shipping boxes. Maximum allowable return weight - 25 lbs.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: UN3291

MEDICAL WASTE
DISPOSAL



SUPPLY-146

1 GAL MEDICAL WASTE DISPOSAL SYSTEM

DIMENSIONS: Top Dia: 8.375"; Height: 8"

CAPACITY: 6 lbs. of regulated medical waste.

INCLUDES: HDPE container, liner, liner tie, instructions, tape, return shipping box, manifest paperwork, return shipping, disposal and certificate of destruction.

NOTES: Intended for non-liquid regulated medical waste only. Sharps must be in puncture resistant container before being placed into container. Must be shipped via United States Postal Service using return shipping box provided. Additional charges apply for replacement return shipping boxes. Maximum allowable return weight - 6 lbs.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: UN3291

MEDICAL WASTE
DISPOSAL



SUPPLY-166

MAILBACK SHARPS MOUNTING BRACKET WITH LOCK

DIMENSIONS: 5.5"x5"x4.25"

CAPACITY: Fits 1 QT, 1, 2, & 3 gal sharps disposal systems.

INCLUDES: Coated metal wall mount bracket with lock.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: NONE



Tritium Exit Signs

Tritium Exit signs must not be disposed of as normal trash. Damaged signs could contaminate the area and require expensive cleanup.



SUPPLY-334

TRITIUM EXIT SIGN DISPOSAL PER SIGN

DIMENSIONS: Packaging dimensions dependent upon number of signs.

CAPACITY: Capacity varies.

INCLUDES: ReturnPak box that meets the general package design requirements of 49 CFR 173.410 with attached return shipping label and UN2911 DOT label, bubble wrap, instructions, terms and conditions, a notification letter addressed to the appropriate state regulatory agency and a notification letter addressed to the US Nuclear Regulatory Commission (NRC), copies of completed tritium exit sign inventory form for your records and to send to the state and federal agencies.

NOTES: To properly dispose of a tritium exit sign, general licensees are required to transfer the sign to a specific licensee. The general licensee must file a report to the NRC and Agreement State within 30 days of disposal. The tritium exit sign kit supplies you with the proper packaging and paperwork to assist you with the proper disposal of your exit signs. Once your order is placed, Veolia will send you an informational packet that must be completed, signed and returned before your order is processed.

UN RATING: 1H2/Y4/S/XX*



Aerosol Cans

Most aerosol cans are considered hazardous by Federal and state regulations due to inherent characteristics. If you generate waste aerosol cans, do not dispose of them in the regular trash. Disposal in the regular trash can be a violation of the EPA hazardous waste regulations.

AEROSOL CAN
DISPOSAL



SUPPLY-339

VSQG 6 AEROSOL CAN RECYCLING BOX

DIMENSIONS: 9"x6"x10.25"

CAPACITY: Up to 6 used undamaged aerosol cans. DO NOT EXCEED 3 lbs.

INCLUDES: Corrugated box, 4 mil liner, liner tie, 12"x12" absorbent pad, limited quantity diamond label, instructions, terms and conditions, proof of purchase, generator certification form, return shipping, disposal and online certificate of acceptance for disposal.

NOTES: Qualifying aerosols are defined as any non-refillable receptacle (can) containing a gas, the sole purpose of which is to expel a nonpoisonous liquid, paste, or powder, and fitted with a self-closing release device (nozzle). Aerosol cans must be undamaged and less than 1 liter and less than 10" in height. Approved for the shipment of non-hazardous wastes and only those hazardous wastes generated by very small quantity generators (VSQG).

RESTRICTIONS: Not available in AK, AR, CT, HI, MA, ME, MN, NH, NY, RI, VA, VT and PR. Not for export. For the State of CA please call 1-888-669-9725 for details.

AEROSOL CAN
DISPOSAL



SUPPLY-372

VSQG 24 AEROSOL CAN RECYCLING BOX

DIMENSIONS: 18"x12"x12"

CAPACITY: Up to 24 used undamaged aerosol cans. DO NOT EXCEED 15 lbs.

INCLUDES: ReturnPak box, 4 mil vapor barrier liner, liner tie, 12"x12" absorbent pad, limited quantity diamond label, instructions, terms and conditions, proof of purchase, generator certification form, return shipping, disposal and online certificate of acceptance for disposal.

NOTES: Qualifying aerosols are defined as any non-refillable receptacle (can) containing a gas, the sole purpose of which is to expel a nonpoisonous liquid, paste, or powder, and fitted with a self-closing release device (nozzle). Aerosol cans must be undamaged and less than 1 liter and less than 10" in height. Approved for the shipment of non-hazardous wastes and only those hazardous wastes generated by very small quantity generators (VSQG).

RESTRICTIONS: Not available in AK, AR, CT, HI, MA, ME, MN, NH, NY, RI, VA, VT and PR. Not for export. For the State of CA please call 1-888-669-9725 for details.

AEROSOL CAN
DISPOSAL



SUPPLY-340

VSQG 12 AEROSOL CAN RECYCLING BOX

DIMENSIONS: 12.25"x9"x10.25"

CAPACITY: Up to 12 used undamaged aerosol cans. DO NOT EXCEED 6 lbs.

INCLUDES: Corrugated box, 4 mil liner, liner tie, 12x12 absorbent pad, limited quantity diamond label, instructions, terms and conditions, proof of purchase, generator certification form, return shipping, disposal and online certificate of acceptance for disposal.

NOTES: Qualifying aerosols are defined as any non-refillable receptacle (can) containing a gas, the sole purpose of which is to expel a nonpoisonous liquid, paste, or powder, and fitted with a self-closing release device (nozzle). Aerosol cans must be undamaged and less than 1 liter and less than 10" in height. Approved for the shipment of non-hazardous wastes and only those hazardous wastes generated by very small quantity generators (VSQG).

RESTRICTIONS: Not available in AK, AR, CT, HI, MA, ME, MN, NH, NY, RI, VA, VT and PR. Not for export. For the State of CA please call 1-888-669-9725 for details.

AEROSOL CAN
DISPOSAL



SUPPLY-325

VSQG 40 AEROSOL CAN RECYCLING BOX

DIMENSIONS: 15"x15"x15"

CAPACITY: Up to 40 used undamaged aerosol cans. DO NOT EXCEED 20 lbs.

INCLUDES: ReturnPak box, 5.5 mil vapor barrier liner, liner tie, 12"x12" absorbent pad, limited quantity diamond label, instructions, terms and conditions, proof of purchase, generator certification form, return shipping, disposal and online certificate of acceptance for disposal.

NOTES: Qualifying aerosols are defined as any non-refillable receptacle (can) containing a gas, the sole purpose of which is to expel a nonpoisonous liquid, paste, or powder, and fitted with a self-closing release device (nozzle). Aerosol cans must be undamaged and less than 1 liter and less than 10" in height. Approved for the shipment of non-hazardous wastes and only those hazardous wastes generated by very small quantity generators (VSQG).

RESTRICTIONS: Not available in AK, AR, CT, HI, MA, ME, MN, NH, NY, RI, VA, VT and PR. Not for export. For the State of CA please call 1-888-669-9725 for details.



Smoke Detectors

Depending on where you live and what type of smoke detector you need to dispose of, there may be regulations that apply to the disposal of scrap detectors.

The two types of smoke detectors most commonly encountered in the United States are ionization detectors and photoelectric detectors. Ionization-type smoke detectors contain a small amount of radioactive material. Photoelectric-type smoke detectors do not contain any radioactive material. Combination smoke detectors, which contain both ionization and photoelectric smoke sensors, also contain a small amount of radioactive material.

SMOKE DETECTOR
DISPOSAL



SUPPLY-359

EXTRA SMALL SMOKE DETECTOR DISPOSAL BOX

DIMENSIONS: 8"x8"x8"

CAPACITY: Up to 6 intact exempt radioactive smoke detectors. Each smoke detector should contain less than or equaling 1 microcurie of Americium-241 (Am-241). DO NOT EXCEED 3 lbs.

INCLUDES: ReturnPak box with attached return shipping label and UN2911 DOT label, poly liner, liner tie, instructions, terms and conditions, Smoke Detector Inventory Form to be completed and returned with filled ReturnPak box.

NOTES: Individually shrink-wrapped.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: NONE

SMOKE DETECTOR
DISPOSAL



SUPPLY-347

SMALL SMOKE DETECTOR DISPOSAL BOX

DIMENSIONS: 18"x12"x6"

CAPACITY: Up to 18 intact exempt radioactive smoke detectors. Each smoke detector should contain less than or equaling 1 microcurie of Americium-241 (Am-241). DO NOT EXCEED 7 lbs.

INCLUDES: ReturnPak box with attached return shipping label and UN2911 DOT label, poly liner, liner tie, instructions, terms and conditions, Smoke Detector Inventory Form to be completed and returned with filled ReturnPak box.

NOTES: Individually shrink-wrapped.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: NONE

SMOKE DETECTOR
DISPOSAL



SUPPLY-348

MEDIUM SMOKE DETECTOR DISPOSAL BOX

DIMENSIONS: 12"x12"x12"

CAPACITY: Up to 24 intact exempt radioactive smoke detectors. Each smoke detector should contain less than or equaling 1 microcurie of Americium-241 (Am-241). DO NOT EXCEED 10 lbs.

INCLUDES: ReturnPak box with attached return shipping label and UN2911 DOT label, poly liner, liner tie, instructions, terms and conditions, Smoke Detector Inventory Form to be completed and returned with filled ReturnPak box.

NOTES: Individually shrink-wrapped.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: NONE

SMOKE DETECTOR
DISPOSAL



SUPPLY-349

LARGE SMOKE DETECTOR DISPOSAL BOX

DIMENSIONS: 18"x18"x12"

CAPACITY: Up to 54 intact exempt radioactive smoke detectors. Each smoke detector should contain less than or equaling 1 microcurie of Americium-241 (Am-241). DO NOT EXCEED 22 lbs.

INCLUDES: ReturnPak box with attached return shipping label and UN2911 DOT label, poly liner, liner tie, instructions, terms and conditions, Smoke Detector Inventory Form to be completed and returned with filled ReturnPak box.

NOTES: Individually shrink-wrapped.


RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: NONE



Hazardous Materials Disposal

It's not always easy to get rid of hazardous waste. The many regulations may be burdensome and that's why we provide peace of mind by providing fully compliant hazardous materials programs for Lead Aprons, CESQG Non-DEA Pharmaceutical Waste, and CESQG COD Vials.



SUPPLY-317

MEDIUM LEAD APRON RECYCLING BOX

DIMENSIONS: 12"x12"x9"

CAPACITY: Up to 50 lbs. of adult size lead aprons.

INCLUDES: Corrugated recycling container, instructions, terms and conditions, proof of purchase, prepaid return shipping with label, recycling and online certificate of acceptance for recycling.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

UN RATING: NONE



SUPPLY-309

VSQG COD VIAL RECYCLING PAIL

DIMENSIONS: Top Dia: 11.45"; Bottom Dia: 10.15"; Height: 14.09"

CAPACITY: 50 lbs. of spent mercuric based COD vials or approximately 400 16mm vials or 650 13mm vials.

INCLUDES: UN rated, DOT approved 5 gal container with locking lid, 4 mil poly liner, liner tie, 12"x12" absorbent pad, limited quantity diamond label, instructions, terms and conditions, proof of purchase, generator certification form, return shipping box, return shipping, disposal and online certificate of acceptance for disposal.

NOTES: Some restrictions apply. Must be placed into shipping box prior to return shipping.

RESTRICTIONS: Not available in AK, AR, CA, HI, IL, MA, ME, MI, MN, NH, PR or RI. Not for export.

UN RATING: 1H2/Y25/S/XX*



SUPPLY-264

VSQG NON-DEA PHARMACEUTICAL WASTE PAIL

DIMENSIONS: Top Dia: 11.45"; Bottom Dia: 10.15"; Height: 14.09"

CAPACITY: 50 lbs. of Non-DEA pharmaceutical waste.

INCLUDES: UN rated, DOT approved 5 gal container with locking lid, 4 mil poly liner, liner tie, 12"x12" absorbent pad, limited quantity diamond label, instructions, terms and conditions, proof of purchase, generator certification form, return shipping box, return shipping, disposal and online certificate of acceptance for disposal.

NOTES: Approved for the shipment of non-hazardous wastes and only those hazardous wastes generated by very small quantity generators (VSQG). Aggregate limit of 2.2 lbs. of an acutely toxic hazardous waste as defined in 40 CFR 261.33. Must be placed into shipping box prior to return shipping.

RESTRICTIONS: Not available in AK, AR, CA, CT, HI, MA, ME, MN, NH, NY, PA, PR, RI, VA or VT. Not for export.

UN RATING: 1H2/Y25/S/XX*



SUPPLY-375

5 GAL VSQG COSMETIC PRODUCTS WASTE PAIL

DIMENSIONS: Top Dia: 11.45"; Bottom Dia: 10.15"; Height: 14.09"

CAPACITY: Up to 50 lbs. of Common cosmetics include lipstick, mascara, eye shadow, foundation, rouge, skin cleansers and skin lotions, shampoo, finger nail polish, polish removers, perfume and cologne.


INCLUDES: UN rated, DOT approved 5 gal container with locking lid, 4 mil poly liner, liner tie, 12"x12" absorbent pad, limited quantity diamond label, instructions, terms and conditions, proof of purchase, generator certification form, return shipping box, return shipping, disposal and online certificate of acceptance for disposal.

NOTES: Aerosol products, products containing hydrogen peroxide, and any prescription or over the counter medication are prohibited. Must be placed into shipping box prior to return shipping.

RESTRICTIONS: Not available in AK, AR, CA, CT, HI, MA, ME, MN, NH, NY, PA, PR, RI, VA & VT. Not for export.

UN RATING: 1H2/Y25/S/XX*

HAZ MATERIALS
DISPOSAL



SUPPLY-376

CACTUS® SINK CARTRIDGE PREPAID RETURN SHIPPING & DISPOSAL (ORIGINAL MANUFACTURER PACKAGING REQUIRED)

AUTHORIZED CONTENTS: The RETURNPAK Cactus® Sink Cartridge Prepaid Return Shipping & Disposal Program is approved for the shipment of four (4) used solid or liquid cartridges. Original manufacturer packaging must be used for this supply code. IF YOU DO NOT HAVE THE ORIGINAL MANUFACTURER PACKAGING FROM STRYKER INSTRUMENTS, DO NOT USE THIS PRODUCT.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

HAZ MATERIALS
DISPOSAL



SUPPLY-377

CACTUS® SINK SINGLE CARTRIDGE DISPOSAL BOX

AUTHORIZED CONTENTS: The RETURNPAK Cactus® Sink Single Cartridge Disposal box is approved for the shipment and disposal of one (1) used cartridge including one (1) solid cartridge or one (1) liquid cartridge.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

HAZ MATERIALS
DISPOSAL



SUPPLY-378

CACTUS® SINK FOUR CARTRIDGE DISPOSAL BOX

AUTHORIZED CONTENTS: The RETURNPAK Cactus® Sink Four Cartridge Disposal box is approved for the shipment and disposal of four (4) used cartridges which can be any combination of solid or liquid cartridges totaling four.

RESTRICTIONS: Lower 48 contiguous states only. Not for export.

NOTES



Supplies and Containers

These products DO NOT include return shipping, recycling and documentation. Not available in Canada.

ENVIRONMENTAL
SUPPLIES



SUPPLY-247

26 OZ MERCURY AMALGAMATING ZINC NEEDLES

DIMENSIONS: Dia: 2.125"; Height: 4.625"

CAPACITY: Used to cleanup and absorb mercury droplets.

INCLUDES: Plastic bottle of granular zinc needles with dual sided shaker lid.

NOTES: Replacement component for Supply-225.

RESTRICTIONS: Not for export.

UN RATING: NONE

ENVIRONMENTAL
SUPPLIES



SUPPLY-280

4FT LAMP RECYCLING BOX

DIMENSIONS: 8.5"x8.5"x48"

CAPACITY: 30 T12 or 60 T8 4ft straight lamps or 10 T12 or 20 T8 u-tubes.

INCLUDES: Printed corrugated recycling container with universal waste labeling.

NOTES: Must be placed on a pallet prior to shipping. Pallet, return shipping and disposal are not included. Alternative SKU: Supply-002.

RESTRICTIONS: Not for export.

UN RATING: NONE

ENVIRONMENTAL
SUPPLIES



SUPPLY-281

8FT LAMP RECYCLING BOX

DIMENSIONS: 8"x8"x96"

CAPACITY: 25 T12 or 57 T8 8ft straight lamps.

INCLUDES: Printed corrugated recycling container with universal waste labeling.

NOTES: Must be placed on a pallet prior to shipping. Pallet, return shipping and disposal are not included. Alternative SKU: Supply-003.

RESTRICTIONS: Not for export.

UN RATING: NONE

ENVIRONMENTAL
SUPPLIES



SUPPLY-282

HID/U-TUBE LAMP RECYCLING BOX

DIMENSIONS: 22"x22"x24"

CAPACITY: 46 T12 or 81 T8 u-tubes or 60 400w HIDS or Misc CFLs.

INCLUDES: Printed corrugated recycling container with universal waste labeling.

NOTES: Must be placed on a pallet prior to shipping. Pallet, return shipping and disposal are not included. Alternative SKU: Supply-005.

RESTRICTIONS: Not for export.

UN RATING: NONE

ENVIRONMENTAL
SUPPLIES



SUPPLY-224

2 GAL BATTERY ACID SPILL KIT

DIMENSIONS: Top Dia: 10.48"; Height: 9.17"

CAPACITY: 26 lbs. of battery acid contaminated waste.

INCLUDES: UN rated, DOT approved 2.5 gal container with locking lid, 4 mil poly liner, liner tie, protective splash goggles, nitrile gloves, poly apron, liquid acid neutralizer with trigger sprayer, liquid locking polymer, absorbent hazmat pads, plastic scoop with detachable scrapper, SDS document, instructions.

NOTES: High density plastic with vapor tight lid. No disposal or return shipping included. Complies with OSHA 1910.178(g)(2). Return shipping and disposal are not included.

RESTRICTIONS: Not for export.

UN RATING: 1H2/Y19/S/XX*

ENVIRONMENTAL
SUPPLIES



SUPPLY-225

2 GAL MERCURY SPILL KIT

DIMENSIONS: Top Dia: 10.48"; Height: 9.17"

CAPACITY: 26 lbs. of mercury contaminated waste.

INCLUDES: UN rated, DOT approved 2.5 gal container with locking lid, 4 mil poly liner, liner tie, protective glasses, nitrile gloves, granular zinc, mercury indicator powder, mercury vapor suppressor, plastic scoop with detachable scrapper, zinc infused sponges, SDS document, instructions.

NOTES: High density plastic with vapor tight lid. No disposal or return shipping included. Use to cleanup mercury spills of 25ml or less. Return shipping and disposal are not included.

RESTRICTIONS: Not for export.

UN RATING: 1H2/Y19/S/XX*

ENVIRONMENTAL
SUPPLIES



SUPPLY-245

16 OZ MERCURY VAPOR SUPPRESSOR

DIMENSIONS: Dia: 3.5"; Height: 6.625"

CAPACITY: Used to absorb hazardous mercury vapors.

INCLUDES: HDPE bottle of carbon pellets with dual sided shaker lid.

NOTES: Replacement component for Supply-225.

RESTRICTIONS: Not for export.

UN RATING: NONE

ENVIRONMENTAL
SUPPLIES



SUPPLY-246

MERCURY SPONGE JAR (6 QTY)

DIMENSIONS: 2.5"x1" Round

CAPACITY: Used to cleanup and absorb mercury droplets.

INCLUDES: Round sponge coated with granular zinc inside 2 oz. plastic jar with lid.

NOTES: Replacement component for Supply-225.

RESTRICTIONS: Not for export.

UN RATING: NONE

ENVIRONMENTAL
SUPPLIES



SUPPLY-273

NON DOT CUBIC YARD BOX

DIMENSIONS: 36"x36"x36"

CAPACITY: Intact fluorescent and HID lamps up to 450 lbs. The Non DOT Cubic Yard box is not authorized for materials that require a UN – DOT approved shipping container.

INCLUDES: Corrugated recycling container, instructions, terms and conditions, universal waste label.

NOTES: Must be placed on a pallet prior to shipping. Pallet, return shipping and disposal are not included.

RESTRICTIONS: Not for export.

UN RATING: NONE

ENVIRONMENTAL
SUPPLIES



SUPPLY-262

BULK LAMP RECYCLING BOX

DIMENSIONS: 40"x48"x50"

CAPACITY: 800 T12 or 1600 T8 straight lamps or 360 400w HID or 312 T12 or 480 T8 u-tubes.

INCLUDES: Corrugated recycling container, universal waste label, instructions, terms and conditions.

NOTES: Must be placed on a pallet prior to shipping. Pallet, return shipping and disposal are not included.

RESTRICTIONS: Not for export.

UN RATING: NONE

ENVIRONMENTAL
SUPPLIES



SUPPLY-211

1/2 GAL UN RATED POLY PAIL

DIMENSIONS: Top Dia: 6.15"; Bottom Dia: 5.49"; Height: 6.62"

CAPACITY: 9 lbs. of waste materials.

INCLUDES: UN rated, DOT approved 1/2 gal pail with locking lid.

NOTES: Return shipping and disposal are not included.

RESTRICTIONS: Not for export.

UN RATING: 1H2/Y4/S/XX*

ENVIRONMENTAL
SUPPLIES



SUPPLY-212

1 GAL UN RATED POLY PAIL

DIMENSIONS: Top Dia: 7.5"; Bottom Dia: 6.625"; Height: 6.9"

CAPACITY: 13 lbs. of waste materials.

INCLUDES: UN rated, DOT approved 1 gal pail with locking lid.

NOTES: Return shipping and disposal are not included.

RESTRICTIONS: Not for export.

UN RATING: 1H2/Y6/S/XX*

ENVIRONMENTAL
SUPPLIES



SUPPLY-213

2 GAL UN RATED POLY PAIL

DIMENSIONS: Top Dia: 10.48"; Bottom Dia: 9.125"; Height: 7.53"

CAPACITY: 26 lbs. of waste materials.

INCLUDES: UN rated, DOT approved 2 gal pail with locking lid.

NOTES: Return shipping and disposal are not included.

RESTRICTIONS: Not for export.

UN RATING: 1H2/Y12/S/XX*

ENVIRONMENTAL
SUPPLIES



SUPPLY-142

5 GAL UN RATED POLY PAIL

DIMENSIONS: Top Dia: 11.45"; Bottom Dia: 10.15"; Height: 14.09"

CAPACITY: 55 lbs. of waste materials.

INCLUDES: UN rated, DOT approved 5 gal pail with locking lid.

NOTES: Return shipping and disposal are not included.

RESTRICTIONS: Not for export.

UN RATING: 1H2/Y25/S/XX*

ENVIRONMENTAL
SUPPLIES



SUPPLY-258

FLEXIBLE 30 GAL WASTE DRUM

DIMENSIONS: 17.5"x17.5"x27"

CAPACITY: 250 lbs. of waste materials.

INCLUDES: UN rated, DOT approved recycling container, 3 mil lldpe liner, liner closure, instructions.

NOTES: Must be placed on a pallet prior to shipping. Pallet, return shipping and disposal are not included. Bilingual- English and Spanish.

RESTRICTIONS: Not for export.

UN RATING: 13H4/Y/08-2011/MEX/BAGCORP/0/116

NOTES

NOTES

Resourcing the world

Call, Fax, Click or Email to Order

tel: +1 888 669 9725

fax: +1 920 757 5485

pak.ts@veolia.com

www.prepaidrecycling.com



Pak Distribution Center

W6490B Specialty Drive • Greenville, WI 54942

tel: +1 888 669 9725

pak.ts@veolia.com

Mon-Fri 8 a.m. to 5 p.m. CST

Veolia North America

53 State Street • Boston, MA 02109

tel: +1 713 672 8004

twitter: @veolia_na

www.veolianothamerica.com